



Australian Government

16 05 / 312

MAILED 18 FEB 2005

WIPO

PCT

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Patent Office
Canberra

I, JANENE PEISKER, TEAM LEADER EXAMINATION SUPPORT AND
SALES hereby certify that annexed is a true copy of the Provisional specification
in connection with Application No. 2004900608 for a patent by
COMMONSENSE BUSINESS SYSTEMS INC as filed on 10 February 2004.



WITNESS my hand this
Fourteenth day of February 2005

JANENE PEISKER
TEAM LEADER EXAMINATION
SUPPORT AND SALES

AUSTRALIA
Patents Act 1990

PROVISIONAL SPECIFICATION

Invention Title: **SYSTEM FOR CUSTOMISING OUTLOOK**

The invention is described in the following statement:

SYSTEM FOR CUSTOMISING OUTLOOK

FIELD OF THE INVENTION

The present invention is related to an improved methodology for using Microsoft Outlook and in particular a system for customising Outlook to enable this methodology.

BACKGROUND OF THE INVENTION

A counter-intuitive electronic workplace organizational culture has emerged in direct response to the challenges posed by the present state of workplace organizational methodologies. Microsoft OUTLOOK is the single most prevalent desktop personal organizational software found in the workplace today but most people in any given workplace have been left to their own devices to best organize themselves in the administration of their personal daily work. No system common to all has emerged. That there is no universality in personal organizational practices whilst working on the potential/actual networked platform which Microsoft OUTLOOK represents is actually defeating the essential productivity aims for which such software was developed in the first place. Statistics show that IT has not increased overall workplace productivity for the average office worker. It has simply created more work for them.

The majority of work activities emanate from various electronic communications, whether they be emails, faxes or PDA's for example. The challenge is to find a system to hold all this together, to allow easy recall of data and to provide peace of mind that all is organised in one place to relieve the user of the mind clutter caused by managing all of these communications and the intricacy of their content from a mere list.

OBJECT OF THE INVENTION

It is an object of the present invention to customise Microsoft Outlook to enable a user to increase productivity and organisation of their work.

SUMMARY OF THE INVENTION

With the above object in mind the present invention provides a system to configure a user's email program, such as Microsoft Outlook wherein at least one toolbar of the user's email program is modified to provide said user with a plurality of buttons, said buttons allowing said user to process each incoming email by

dealing with the email immediately, scheduling said email into said user's diary, delegating said email to another person or deleting said email.

In a further aspect the present invention provides a system to configure a user's email program wherein at least one toolbar of said user's email program is modified to provide said user with a plurality of buttons, said buttons enabling said user to select different productivity principles related to each of said buttons, and work is then scheduled onto said users personal workload depending on the said productivity principle selected.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a flow diagram of actions available to a user for incoming emails received following implementation of the present invention.

Figure 2 shows a flow diagram of the overall working system following implementation of the present invention.

Figures 3 to 5 show screen shots of a configured Outlook in accordance with the preferred embodiment of the present invention.

DESCRIPTION OF PREFERRED EMBODIMENT

The present system seeks to provide a means by which each email received by a user is handled once and a user's work environment is optimised. This is based on intellectualizing the work emanating from each individual email at the time it is first handled by a user, proactively scheduling to undertake the work resulting from each email, gathering together the various electronic resources to undertake that work at the same time as the work is scheduled onto the user's personal workload.

Work may be defined as Interactions with others which results in: (a) activities involving face-to-face time in meetings and appointments; (b) activities involving work output with a deadline; (c) activity involving work output without a deadline; and (d) mental activity which is related to ones work.

The arrangement that the present system seeks to implement is the idea that each email is handled once, and one of four actions is applied to each email received. These four actions can be:

Deal With It Now – utilizing the email 'Reply' feature – whereby the person attends to the work immediately, after which the email can be deleted.

Decide What To Do With It – utilizing the 'Move Item To' feature – whereby the user chooses to proactively schedule and/or organize the work by use of functionality available within Microsoft OUTLOOK. After applying this action to an email the next step is to use the custom features provided with the present system to gather together other electronic resources from the computer or network so that when the time comes to actually undertake the work, all that is required is on hand and readied for use.

Delegate It – utilizing the email 'Forward' feature – whereby the user elects to give the work to another person to do. The email may then be deleted.

Delete It– assimilate the work involved and then delete the email from the system.

These four actions serve the purpose of applying productivity principles achieved with the present invention. It also 'clears' the user's Inbox of email and illustrates that all work in hand has been considered, scheduled for action and organized for maximum personal productivity purposes.

At the end of each working session the user may also elect to apply one of the four actions to each item in their Sent Items folder. This can empower intuitive filing possibilities and management of work due back to the user from others which has been issued throughout the working session.

Whilst not all work is received by email the system can handle such work. By using Contacts and making a Projects folder (containing Contact items), all email, task and calendar activities in relation to people and projects are related for ease of activities audit. Three specific features in the Contacts and Projects folders enable this: Craft Email, New Appointment, New Task. When using these three features, the system utilises the custom features provided with Outlook to gather together other electronic resources from the computer or network so that when the time comes to actually undertake the work, all that is required is on hand and readied for use.

To best enable the above steps the present system customises Outlook as detailed herein. The user's Outlook may be configured using an application or macro that can be provided to the user. In essence this application virtually configures the main toolbar, and then configures an open items toolbar. In order

to configure the main toolbar, the system should undertake the following eight steps

step 1:

Make a list for ""Template Outlook Setting's"" toolbar controls.

5

Open Outlook;

Reset and hide all Toolbars;

Create a new folder for contact items and name it "Projects";

Make a new Group called ""Work From An EMPTY INBOX!"";

Create the "Projects" folder's shortcut in the new Group and rename

10 to ""Template Outlook Setting""'s setting;

step 2:

Select a folder; (for example: TaskFolder)

step 3:

Get a control from ""Template Outlook Setting's"" control list;

15

step 4:

Find this control (button or other control) from the invention's Outlook Setting Template in Outlook's controls.

a). if this control is Visible then rename it to ""Template Outlook Setting's"" command/setting; for example: "Help" -> "Microsoft Help";

20

b). if this control is not visible then copy it to "MainBar" and set it to visible and name it;

c). if this control cannot be found or it can be found but cannot be set to visible then create a new control in "MainBar";

d). set this control's tag = 0, indicating proprietary Template Outlook control.

25

step 5:

Loop step 3 and step 4 until all the controls have been set;

step 6:

Loop step 2-5 until all folders have been set.

30

step 7:

Reset these controls' index.

step 8:

Correct any controls that show incorrect location or visible status.

Once the main toolbar has been configured the system then sets the open items window toolbar. Ideally this is achieved using the following steps:

step 1:

5 Make a list for ""Template Outlook Setting's"" open item window's main toolbar controls;

 Make a list for ""Template Outlook Setting's"" open item window's standard toolbar controls;

 Reset and hide all Toolbars where possible;

step 2:

10 Go to a folder;

 Open the first item; if no item, create a new item;

 (For example: TaskFolder, open the first task, if no existing task, then open a new task window)

 then do flow step 1 on this window;

15 step 3:

 Set the main toolbar first, so set current toolbar = main toolbar;

 Get a control from ""Template Outlook Setting's"" open item window's required current toolbar control list;

 step 4:

20 Find this control (button or other control) from the invention Outlook Setting Template in Outlook's controls;

 a). if this control is Visible then rename it to ""Template Outlook Setting's"" command/setting;

25 b). if this control is not visible then copy it to the current toolbar and set it as visible and name it;

 c). if this control cannot found or it can be found but cannot set to visible then create a new control in the current toolbar;

 d). set this control's tag = 0, indicating proprietary Template Outlook control;

30 step 5:

 Loop step 3 and step 4 until all the controls have been set;

 step 6:

Loop step 3 and step 4 and step 5, setting current toolbar as standard toolbar;

step 7:

Loop step 2-6 until all folders' open item windows have been set;

5 step 8:

Reset these controls' index;

step 9:

Correct any controls that show incorrect location or visible status

10 The system to configure Outlook may be created using the source code attached in the appendices. This code has been designed for versions of Microsoft Outlook greater than Outlook 97, although it is yet to be fine tuned for Outlook 2003. It is understood that some views in Outlook 2003 may require some fine tuning to the source code of the appendices.

15 Referring to Figure 3, the shortcut icons which are preferably made available once the system has customised Outlook are shown. It is noted that in the Applicant's invented arrangement Calendar has been renamed to My Diary. Whilst renaming is not necessary, doing so does assist in the user's understanding of the system. Similarly, if desired the other various programs or components of Outlook may also be renamed. It is also noted that the present
20 system renames Notes to read Ideas. Further the system does create a new folder called Projects which is used to store such work. Once configured in accordance with the present system, if a user was to select My Diary a screen as exemplified in Figure 4 may be seen. It can be seen that the ideal shortcuts are provided on the left hand side of the screen enabling the user to easily switch
25 between the various components of the system. An expanded one day calendar view is provided towards the centre of the screen easily showing the user any appointments that may have been scheduled for that day. A three month forward calendar is also ideally provided. Details of the work required for the day and priority may be shown below the forward calendar.

30 The system does add a new special toolbar across the top of the screen which reflects the principles of the system which seeks to always perform one of four actions for each incoming email. This enables the user to quickly process each incoming email.

The four main options presented to users are shown on Figure 5. Here it can be seen that the options to "Deal With It Now", "Decide What To Do With It", "Delegate it", or "Ditch It" are shown. Different labels could be selected depending on the implementation and any specific terminology preferred by an organisation. For example "Ditch It" could simply be "Delete". If a user was to open an incoming email as shown in Figure 5, they would then upon reading the email need to determine which of the four options should be proceeded with.

Once the present system has customised the user's Microsoft Outlook such that it is configured in accordance with the premise of the present invention, the user will be able to improve their efficiency and productivity by following the simple principles on which the present invention is based. That is, the user is encouraged to progressively work through the emails in the Inbox, and undertake one of four tasks in respect of each email. This is exemplified in Figure 5. Here it can be seen that for each item in the Inbox, the user is faced with four options, they may deal with the email immediately if the work matter must be attended to immediately. Alternatively, they may schedule and organise the work for a later time, delegate the work to another person, or assimilate the contents of the email and delete the email. Should the user proactively schedule the work to be done at a later date, they will be able to make a new calendar entry if a meeting is required, or make a task entry should the user be required to do the task at a later date. This task may be given a priority of High, Normal or Low, depending on the urgency of the matter. The user may also note an idea or create a new project or new contact following receipt of the email. Alternatively, the email may enable the user to update a project or contact.

The user should also be encouraged to use a similar system for sent emails at the end of a day. The overall process of the preferred implementation once the user's Outlook is configured in accordance with the present invention is shown in Figure 2. In figure 2 it can be seen that the user reviews each email in their Inbox, handles the email in accordance with the outline of Figure 1, and then prioritises this work such that it is scheduled and organised throughout the day. Similarly, the user may review each of their sent emails at the end of the day and again prioritise and follow up as necessary. This arrangement is based on the

premise that the user should endeavour to maintain an empty Inbox and ensure that emails and work are scheduled and categorised appropriately.

The present system enables Microsoft Outlook to be configured in such a way that a user will be able to more optimally manage their email inbox, and
5 thereby enable the user to better control their own working environment.

DATED this 9th day of February 2004
COMMONSENSE BUSINESS SYSTEMS INC

WATERMARK PATENT & TRADE MARK ATTORNEYS
GPO BOX 2512
PERTH WA 6001
AUSTRALIA

P23719AUP1

APPENDIX 1

VERSION 1.0 CLASS

BEGIN

MultiUse = -1 'True

Persistable = 0 'NotPersistable

DataBindingBehavior = 0 'vbNone

DataSourceBehavior = 0 'vbNone

MTSTransactionMode = 0 'NotAnMTSObject

END

Attribute VB_Name = "ClassCmdControl"

Attribute VB_GlobalNameSpace = False

Attribute VB_Creatable = True

Attribute VB_PredeclaredId = False

Attribute VB_Exposed = False

Attribute VB_Ext_KEY = "SavedWithClassBuilder6" ,"Yes"

Attribute VB_Ext_KEY = "Top_Level" ,"Yes"

Private mvarID As Long

Private mvarAdaptiveMenu As Boolean

Private mvarBuiltIn As Boolean

Private mvarEnabled As Boolean

Private mvarHeight As Long

Private mvarLeftx As Long

Private mvarNamex As String

Private mvarNameLocal As String

Private mvarPosition As Long

Private mvarProtection As Long

Private mvarRowIndex As Long

Private mvarTop As Long

Private mvarTypex As Long

Private mvarVisible As Boolean

Private mvarWidthx As Long

Private mvarBeginGroup As Boolean


```
Private mvarCaption As String
Private mvarDescriptionText As String

Private mvarHelpContextId As Long
Private mvarIndex As Long
Private mvarOnAction As String
Private mvarParameter As String
Private mvarPriority As Long
Private mvarTag As String
Private mvarTooltipText As String

Private mvarBuiltInFace As Boolean
Private mvarFaceId As Long
Private mvarHyperlinkType As Long
Private mvarShortcutText As String
Private mvarState As Long
Private mvarStyle As Long
Private mvarList As Collection
Private mvarListHeaderCount As Long
Private mvarDropDownLines As Long
Private mvarDropDownWidth As Long
Private mvarListIndex As Long
Private mvarTextx As String

Private mvarCommandBar As ClassCmdBar
Private mvarUsed As Boolean
Public Property Let Used(ByVal vData As Boolean)

    mvarUsed = vData
End Property
```

Public Property Get Used() As Boolean

'Syntax: Debug.Print X.Used

Used = mvarUsed

End Property

Public Property Set CommandBar(ByVal vData As ClassCmdBar)

'Syntax: Set x.CommandBar = Form1

Set mvarCommandBar = vData

End Property

Public Property Get CommandBar() As ClassCmdBar

'Syntax: Debug.Print X.CommandBar

Set CommandBar = mvarCommandBar

End Property

Public Property Let Textx(ByVal vData As String)

'Syntax: X.Textx = 5

mvarTextx = vData

End Property

Public Property Get Textx() As String

'Syntax: Debug.Print X.Textx

```
Textx = mvarTextx  
End Property
```

```
Public Property Let ListIndex(ByVal vData As Long)
```

```
'Syntax: X.ListIndex = 5  
    mvarListIndex = vData  
End Property
```

```
Public Property Get ListIndex() As Long
```

```
'Syntax: Debug.Print X.ListIndex  
    ListIndex = mvarListIndex  
End Property
```

```
Public Property Let DropDownWidth(ByVal vData As Long)
```

```
'Syntax: X.DropDownWidth = 5  
    mvarDropDownWidth = vData  
End Property
```

```
Public Property Get DropDownWidth() As Long
```

```
'Syntax: Debug.Print X.DropDownWidth  
    DropDownWidth = mvarDropDownWidth  
End Property
```

Public Property Let DropDownLines(ByVal vData As Long)

'Syntax: X.DropDownLines = 5
 mvarDropDownLines = vData
End Property

Public Property Get DropDownLines() As Long

'Syntax: Debug.Print X.DropDownLines
 DropDownLines = mvarDropDownLines
End Property

Public Property Let ListHeaderCount(ByVal vData As Long)

'Syntax: X.ListHeaderCount = 5
 mvarListHeaderCount = vData
End Property

Public Property Get ListHeaderCount() As Long

'Syntax: Debug.Print X.ListHeaderCount
 ListHeaderCount = mvarListHeaderCount
End Property

Public Property Set List(ByVal vData As Collection)

```
'Syntax: Set x.List = Form1  
    Set mvarList = vData  
End Property
```

```
Public Property Get List() As Collection
```

```
'Syntax: Debug.Print X.List  
    Set List = mvarList  
End Property
```

```
Public Property Let Style(ByVal vData As Long)
```

```
'Syntax: X.Style = 5  
    mvarStyle = vData  
End Property
```

```
Public Property Get Style() As Long
```

```
'Syntax: Debug.Print X.Style  
    Style = mvarStyle  
End Property
```

```
Public Property Let State(ByVal vData As Long)
```

```
'Syntax: X.State = 5  
    mvarState = vData
```

End Property

Public Property Get State() As Long

'Syntax: Debug.Print X.State

State = mvarState

End Property

Public Property Let ShortcutText(ByVal vData As String)

'Syntax: X.ShortcutText = 5

mvarShortcutText = vData

End Property

Public Property Get ShortcutText() As String

'Syntax: Debug.Print X.ShortcutText

ShortcutText = mvarShortcutText

End Property

Public Property Let HyperlinkType(ByVal vData As Long)

'Syntax: X.HyperlinkType = 5

mvarHyperlinkType = vData

End Property

Public Property Get HyperlinkType() As Long

```
'Syntax: Debug.Print X.HyperlinkType
HyperlinkType = mvarHyperlinkType
End Property
```

Public Property Let Faceld(ByVal vData As Long)

```
'Syntax: X.Faceld = 5
mvarFaceld = vData
End Property
```

Public Property Get Faceld() As Long

```
'Syntax: Debug.Print X.Faceld
Faceld = mvarFaceld
End Property
```

Public Property Let BuiltInFace(ByVal vData As Boolean)

```
'Syntax: X.BuiltInFace = 5
mvarBuiltInFace = vData
End Property
```

Public Property Get BuiltInFace() As Boolean

```
'Syntax: Debug.Print X.BuiltInFace
```


BuiltInFace = mvarBuiltInFace
End Property

Public Property Let TooltipText(ByVal vData As String)

'Syntax: X.TooltipText = 5
 mvarTooltipText = vData
End Property

Public Property Get TooltipText() As String

'Syntax: Debug.Print X.TooltipText
 TooltipText = mvarTooltipText
End Property

Public Property Let Tag(ByVal vData As String)

'Syntax: X.Tag = 5
 mvarTag = vData
End Property

Public Property Get Tag() As String

'Syntax: Debug.Print X.Tag
 Tag = mvarTag
End Property

Public Property Let Priority(ByVal vData As Long)

'Syntax: X.Priority = 5
 mvarPriority = vData
End Property

Public Property Get Priority() As Long

'Syntax: Debug.Print X.Priority
 Priority = mvarPriority
End Property

Public Property Let Parameter(ByVal vData As String)

'Syntax: X.Parameter = 5
 mvarParameter = vData
End Property

Public Property Get Parameter() As String

'Syntax: Debug.Print X.Parameter
 Parameter = mvarParameter
End Property

Public Property Let OnAction(ByVal vData As String)

```
'Syntax: X.OnAction = 5  
    mvarOnAction = vData  
End Property
```

```
Public Property Get OnAction() As String
```

```
'Syntax: Debug.Print X.OnAction  
    OnAction = mvarOnAction  
End Property
```

```
Public Property Let Index(ByVal vData As Long)
```

```
'Syntax: X.Index = 5  
    mvarIndex = vData  
End Property
```

```
Public Property Get Index() As Long
```

```
'Syntax: Debug.Print X.Index  
    Index = mvarIndex  
End Property
```

```
Public Property Let HelpContextId(ByVal vData As Long)
```

```
'Syntax: X.HelpContextId = 5  
    mvarHelpContextId = vData
```

End Property

Public Property Get HelpContextId() As Long

'Syntax: Debug.Print X.HelpContextId
 HelpContextId = mvarHelpContextId
End Property

Public Property Let DescriptionText(ByVal vData As String)

'Syntax: X.DescriptionText = 5
 mvarDescriptionText = vData
End Property

Public Property Get DescriptionText() As String

'Syntax: Debug.Print X.DescriptionText
 DescriptionText = mvarDescriptionText
End Property

Public Property Let Caption(ByVal vData As String)

'Syntax: X.Caption = 5
 mvarCaption = vData
End Property

Public Property Get Caption() As String

'Syntax: Debug.Print X.Caption

 Caption = mvarCaption

End Property

Public Property Let BeginGroup(ByVal vData As Boolean)

'Syntax: X.BeginGroup = 5

 mvarBeginGroup = vData

End Property

Public Property Get BeginGroup() As Boolean

'Syntax: Debug.Print X.BeginGroup

 BeginGroup = mvarBeginGroup

End Property

Public Property Let Widthx(ByVal vData As Long)


'Syntax: X.Widthx = 5

 mvarWidthx = vData

End Property

Public Property Get Widthx() As Long

'Syntax: Debug.Print X.Widthx



```
Widthx = mvarWidthx  
End Property
```

```
Public Property Let Visible(ByVal vData As Boolean)
```

```
'Syntax: X.Visible = 5  
    mvarVisible = vData  
End Property
```

```
Public Property Get Visible() As Boolean
```

```
'Syntax: Debug.Print X.Visible  
    Visible = mvarVisible  
End Property
```

```
Public Property Let Typex(ByVal vData As Long)
```

```
'Syntax: X.Typex = 5  
    mvarTypex = vData  
End Property
```

```
Public Property Get Typex() As Long
```

```
'Syntax: Debug.Print X.Typex  
    Typex = mvarTypex  
End Property
```

Public Property Let Top(ByVal vData As Long)

'Syntax: X.Top = 5
 mvarTop = vData
End Property

Public Property Get Top() As Long

'Syntax: Debug.Print X.Top
 Top = mvarTop
End Property

Public Property Let Protection(ByVal vData As Long)

'Syntax: X.Protection = 5
 mvarProtection = vData
End Property

Public Property Get Protection() As Long

'Syntax: Debug.Print X.Protection
 Protection = mvarProtection
End Property

Public Property Let Position(ByVal vData As Long)

'Syntax: X.Position = 5
 mvarPosition = vData
End Property

Public Property Get Position() As Long

'Syntax: Debug.Print X.Position
 Position = mvarPosition
End Property

Public Property Let Leftx(ByVal vData As Long)

'Syntax: X.Leftx = 5
 mvarLeftx = vData
End Property

Public Property Get Leftx() As Long

'Syntax: Debug.Print X.Leftx
 Leftx = mvarLeftx
End Property

Public Property Let Height(ByVal vData As Long)

'Syntax: X.Height = 5
 mvarHeight = vData
End Property

Public Property Get Height() As Long

'Syntax: Debug.Print X.Height
 Height = mvarHeight
End Property

Public Property Let Enabled(ByVal vData As Boolean)

'Syntax: X.Enabled = 5
 mvarEnabled = vData
End Property

Public Property Get Enabled() As Boolean

'Syntax: Debug.Print X.Enabled
 Enabled = mvarEnabled
End Property

Public Property Let BuiltIn(ByVal vData As Boolean)

'Syntax: X.BuiltIn = 5
 mvarBuiltIn = vData

End Property

Public Property Get BuiltIn() As Boolean

'Syntax: Debug.Print X.BuiltIn

BuiltIn = mvarBuiltIn

End Property

Public Property Let AdaptiveMenu(ByVal vData As Boolean)

'Syntax: X.AdaptiveMenu = 5

mvarAdaptiveMenu = vData

End Property

Public Property Get AdaptiveMenu() As Boolean

AdaptiveMenu = mvarAdaptiveMenu

End Property

Public Property Let ID(ByVal vData As Long)

'Syntax: X.ID = 5

mvarID = vData

End Property

Public Property Get ID() As Long

'Syntax: Debug.Print X.ID

 ID = mvarID

End Property

Private Sub Class_Initialize()

 Set mvarList = New Collection

End Sub

APPENDIX 2

VERSION 1.0 CLASS

BEGIN

MultiUse = -1 'True

Persistable = 0 'NotPersistable

DataBindingBehavior = 0 'vbNone

DataSourceBehavior = 0 'vbNone

MTSTransactionMode = 0 'NotAnMTSObject

END

Attribute VB_Name = "ClassCmdBar"

Attribute VB_GlobalNameSpace = False

Attribute VB_Creatable = True

Attribute VB_PredeclaredId = False

Attribute VB_Exposed = False

Attribute VB_Ext_KEY = "SavedWithClassBuilder6" ,"Yes"

Attribute VB_Ext_KEY = "Top_Level" ,"Yes"

Private mvarWidthx As Long

Private mvarBuiltIn As Boolean

Private mvarContext As String

Private mvarControls As CollCmdBarControls

Private mvarEnabled As Boolean

Private mvarHeight As Long

Private mvarID As Long

Private mvarLeftx As Long

Private mvarNameLocal As String

Private mvarNamex As String

Private mvarPosition As Long

Private mvarProtection As Long

Private mvarRowIndex As Long

Private mvarTop As Long

Private mvarTypex As Long

Private mvarVisible As Boolean

Private mvarAdaptiveMenu As Boolean

Private mvarUsed As Boolean

Public Property Let Used(ByVal vData As Boolean)

 mvarUsed = vData

End Property

Public Property Get Used() As Boolean

 Used = mvarUsed

End Property

Public Property Let AdaptiveMenu(ByVal vData As Boolean)

 mvarAdaptiveMenu = vData

End Property

Public Property Get AdaptiveMenu() As Boolean

 AdaptiveMenu = mvarAdaptiveMenu

End Property

Public Property Let Visible(ByVal vData As Boolean)

'Syntax: X.Visible = 5

 mvarVisible = vData

End Property

Public Property Get Visible() As Boolean

```
'Syntax: Debug.Print X.Visible  
    Visible = mvarVisible  
End Property
```

```
Public Property Let Typex(ByVal vData As Long)
```

```
'Syntax: X.Typex = 5  
    mvarTypex = vData  
End Property
```

```
Public Property Get Typex() As Long
```

```
'Syntax: Debug.Print X.Typex  
    Typex = mvarTypex  
End Property
```

```
Public Property Let Top(ByVal vData As Long)
```

```
'Syntax: X.Top = 5  
    mvarTop = vData  
End Property
```

```
Public Property Get Top() As Long
```

```
'Syntax: Debug.Print X.Top  
    Top = mvarTop  
End Property
```


Public Property Let RowIndex(ByVal vData As Long)

'Syntax: X.RowIndex = 5
 mvarRowIndex = vData
End Property

Public Property Get RowIndex() As Long

'Syntax: Debug.Print X.RowIndex
 RowIndex = mvarRowIndex
End Property

Public Property Let Protection(ByVal vData As Long)

'Syntax: X.Protection = 5
 mvarProtection = vData
End Property

Public Property Get Protection() As Long

'Syntax: Debug.Print X.Protection
 Protection = mvarProtection
End Property

Public Property Let Position(ByVal vData As Long)

'Syntax: X.Position = 5

 mvarPosition = vData

End Property

Public Property Get Position() As Long

'Syntax: Debug.Print X.Position

 Position = mvarPosition

End Property

Public Property Let Namex(ByVal vData As String)

'Syntax: X.Namex = 5

 mvarNamex = vData

End Property

Public Property Get Namex() As String

'Syntax: Debug.Print X.Namex

 Namex = mvarNamex

End Property

Public Property Let NameLocal(ByVal vData As String)

'Syntax: X.NameLocal = 5



```
mvarNameLocal = vData
End Property
```

```
Public Property Get NameLocal() As String
```

```
'Syntax: Debug.Print X.NameLocal
    NameLocal = mvarNameLocal
End Property
```

```
Public Property Let Leftx(ByVal vData As Long)
```

```
'Syntax: X.Leftx = 5
    mvarLeftx = vData
End Property
```

```
Public Property Get Leftx() As Long
```

```
'Syntax: Debug.Print X.Leftx
    Leftx = mvarLeftx
End Property
```

```
Public Property Let ID(ByVal vData As Long)
```

```
'Syntax: X.ID = 5
    mvarID = vData
End Property
```

Public Property Get ID() As Long

'Syntax: Debug.Print X.ID

 ID = mvarID

End Property

Public Property Let Height(ByVal vData As Long)

'Syntax: X.Height = 5

 mvarHeight = vData

End Property

Public Property Get Height() As Long

'Syntax: Debug.Print X.Height

 Height = mvarHeight

End Property


Public Property Let Enabled(ByVal vData As Boolean)

'Syntax: X.Enabled = 5

 mvarEnabled = vData

End Property

Public Property Get Enabled() As Boolean



```
'Syntax: Debug.Print X.Enabled  
    Enabled = mvarEnabled  
End Property
```

```
Public Property Set Controls(ByVal vData As CollCmdBarControls)
```

```
'Syntax: Set x.Controls = Form1  
    Set mvarControls = vData  
End Property
```

```
Public Property Get Controls() As CollCmdBarControls
```

```
'Syntax: Debug.Print X.Controls  
    Set Controls = mvarControls  
End Property
```

```
Public Property Let Context(ByVal vData As String)
```

```
'Syntax: X.Context = 5  
    mvarContext = vData  
End Property
```

```
Public Property Get Context() As String
```

```
'Syntax: Debug.Print X.Context  
    Context = mvarContext  
End Property
```

Public Property Let BuiltIn(ByVal vData As Boolean)

'Syntax: X.BuiltIn = 5
 mvarBuiltIn = vData
End Property

Public Property Get BuiltIn() As Boolean

'Syntax: Debug.Print X.BuiltIn
 BuiltIn = mvarBuiltIn
End Property

Public Property Let Widthx(ByVal vData As Long)

'Syntax: X.Widthx = 5
 mvarWidthx = vData
End Property

Public Property Get Widthx() As Long

'Syntax: Debug.Print X.Widthx
 Widthx = mvarWidthx
End Property

```
Private Sub Class_Initialize()
```

```
    Set mvarControls = New CollCmdBarControls
```

```
End Sub
```

APPENDIX 3

VERSION 1.0 CLASS

BEGIN

MultiUse = -1 'True

Persistable = 0 'NotPersistable

DataBindingBehavior = 0 'vbNone

DataSourceBehavior = 0 'vbNone

MTSTransactionMode = 0 'NotAnMTSObject

END

Attribute VB_Name = "CollCmdBarControls"

Attribute VB_GlobalNameSpace = False

Attribute VB_Creatable = True

Attribute VB_PredeclaredId = False

Attribute VB_Exposed = False

Attribute VB_Ext_KEY = "SavedWithClassBuilder6" ,"Yes"

Attribute VB_Ext_KEY = "Collection" ,"ClassCommamdCountrol"

Attribute VB_Ext_KEY = "Member0" ,"ClassCommamdCountrol"

Attribute VB_Ext_KEY = "Top_Level" ,"Yes"

Private mCol As Collection

Public Function FindControl(ID As Long) As ClassCmdControl

End Function

Public Function Add(Optional sKey As String) As ClassCmdControl

Dim objNewMember As ClassCmdControl

Set objNewMember = New ClassCmdControl

If Len(sKey) = 0 Then

mCol.Add objNewMember

Else

mCol.Add objNewMember, sKey


```
End If
Set Add = objNewMember
Set objNewMember = Nothing
```

```
End Function
```

```
Public Function AddNew(ID As Long, AdaptiveMenu As Boolean, BuiltIn
As Boolean, Enabled As Boolean, Height As Long, Leftx As Long, Position As
Long, Protection As Long, Top As Long, Typex As Long, Visible As Boolean,
Widthx As Long, BeginGroup As Boolean, Caption As String, DescriptionText As
String, HelpContextId As Long, Index As Long, OnAction As String, Parameter As
String, Priority As Long, Tag As String, TooltipText As String, Optional sKey As
String) As ClassCmdControl
```

```
Dim objNewMember As ClassCmdControl
Set objNewMember = New ClassCmdControl
```

```
objNewMember.ID = ID
objNewMember.AdaptiveMenu = AdaptiveMenu
objNewMember.BuiltIn = BuiltIn
objNewMember.Enabled = Enabled
objNewMember.Height = Height
objNewMember.Leftx = Leftx
objNewMember.Position = Position
objNewMember.Protection = Protection
objNewMember.Top = Top
objNewMember.Typex = Typex
objNewMember.Visible = Visible
objNewMember.Widthx = Widthx
objNewMember.BeginGroup = BeginGroup
objNewMember.Caption = Caption
objNewMember.DescriptionText = DescriptionText
objNewMember.HelpContextId = HelpContextId
```

```
objNewMember.Index = Index
objNewMember.OnAction = OnAction
objNewMember.Parameter = Parameter
objNewMember.Priority = Priority
objNewMember.Tag = Tag
objNewMember.ToolTipText = ToolTipText
If Len(sKey) = 0 Then
    mCol.Add objNewMember
Else
    mCol.Add objNewMember, sKey
End If
Set AddNew = objNewMember
Set objNewMember = Nothing
End Function

Public Property Get Item(vntIndexKey As Variant) As ClassCmdControl
Attribute Item.VB_UserMemId = 0
Set Item = mCol(vntIndexKey)
End Property

Public Property Get Count() As Long
Count = mCol.Count
End Property

Public Sub Remove(vntIndexKey As Variant)
mCol.Remove vntIndexKey
End Sub

Public Property Get NewEnum() As IUnknown
Attribute NewEnum.VB_UserMemId = -4
Attribute NewEnum.VB_MemberFlags = "40"
Set NewEnum = mCol.[_NewEnum]
```



End Property

```
Private Sub Class_Initialize()  
    Set mCol = New Collection  
End Sub
```

```
Private Sub Class_Terminate()  
    Set mCol = Nothing  
End Sub
```

APPENDIX 4

VERSION 1.0 CLASS

BEGIN

MultiUse = -1 'True

Persistable = 0 'NotPersistable

DataBindingBehavior = 0 'vbNone

DataSourceBehavior = 0 'vbNone

MTSTransactionMode = 0 'NotAnMTSObject

END

Attribute VB_Name = "CollectionCmdBars"

Attribute VB_GlobalNameSpace = False

Attribute VB_Creatable = True

Attribute VB_PredeclaredId = False

Attribute VB_Exposed = False

Attribute VB_Ext_KEY = "SavedWithClassBuilder6" ,"Yes"

Attribute VB_Ext_KEY = "Collection" ,"ClassCommandBar"

Attribute VB_Ext_KEY = "Member0" ,"ClassCommandBar"

Attribute VB_Ext_KEY = "Top_Level" ,"Yes"

Private mCol As Collection

Public Function FindBar(BarName As String) As ClassCmdBar

For i = 1 To mCol.Count

If mCol(i).Name = BarName Then

Set FindBar = mCol(i)

Exit Function

End If

Next

End Function

Public Function Add(Optional sKey As String) As ClassCmdBar

Dim objNewMember As ClassCmdBar

Set objNewMember = New ClassCmdBar

If Len(sKey) = 0 Then

 mCol.Add objNewMember

Else

 mCol.Add objNewMember, sKey

End If

Set Add = objNewMember

Set objNewMember = Nothing

End Function

Public Function AddNew(Widthx As Long, BuiltIn As Boolean, Context As String, Controls As CollCmdBarControls, Enabled As Boolean, Height As Long, ID As Long, Leftx As Long, NameLocal As String, Namex As String, Position As Long, Protection As Long, RowIndex As Long, Top As Long, Typex As Long, Visible As Boolean, AdaptiveMenu As Boolean, Optional sKey As String) As ClassCmdBar

Dim objNewMember As ClassCmdBar

Set objNewMember = New ClassCmdBar

objNewMember.Widthx = Widthx

objNewMember.BuiltIn = BuiltIn

objNewMember.Context = Context

If IsObject(Controls) Then

 Set objNewMember.Controls = Controls

Else

 Set objNewMember.Controls = Controls

End If

objNewMember.Enabled = Enabled

objNewMember.Height = Height

objNewMember.ID = ID

objNewMember.Leftx = Leftx


```
objNewMember.NameLocal = NameLocal
objNewMember.Namex = Namex
objNewMember.Position = Position
objNewMember.Protection = Protection
objNewMember.RowIndex = RowIndex
objNewMember.Top = Top
objNewMember.TypeX = TypeX
objNewMember.Visible = Visible
objNewMember.AdaptiveMenu = AdaptiveMenu
If Len(sKey) = 0 Then
    mCol.Add objNewMember
Else
    mCol.Add objNewMember, sKey
End If

Set AddNew = objNewMember
Set objNewMember = Nothing
End Function

Public Property Get Item(vntIndexKey As Variant) As ClassCmdBar
Attribute Item.VB_UserMemId = 0
Set Item = mCol(vntIndexKey)
End Property

Public Property Get Count() As Long
Count = mCol.Count
End Property

Public Sub Remove(vntIndexKey As Variant)
mCol.Remove vntIndexKey
```



End Sub

```
Public Property Get NewEnum() As IUnknown
Attribute NewEnum.VB_UserMemId = -4
Attribute NewEnum.VB_MemberFlags = "40"
    Set NewEnum = mCol.[_NewEnum]
End Property
```

```
Private Sub Class_Initialize()
    Set mCol = New Collection
End Sub
```

```
Private Sub Class_Terminate()
    Set mCol = Nothing
End Sub
```

APPENDIX 5

VERSION 5.00

Begin VB.Form FormLicenseAgreement

BackColor = &H00800000&

Caption = "Work From An EMPTY INBOX! Set-Up"

ClientHeight = 5220

ClientLeft = 2025

ClientTop = 1695

ClientWidth = 8595

LinkTopic = "Form1"

ScaleHeight = 5220

ScaleWidth = 8595

Begin VB.TextBox Text1

BackColor = &H00FFFFFF&

BeginProperty Font

Name = "Verdana"

Size = 8.25

Charset = 0

Weight = 400

Underline = 0 'False

Italic = 0 'False

Strikethrough = 0 'False

EndProperty

Height = 2775

Left = 360

Locked = -1 'True

MultiLine = -1 'True

ScrollBars = 2 'Vertical

TabIndex = 2

TabStop = 0 'False

Text = "FormLicense.frx":0000

Top = 1605

Width = 7815

End

Begin VB.CommandButton Command2

Caption = "I Don't Agree"

BeginProperty Font

Name = "Verdana"

Size = 9

Charset = 0

Weight = 400

Underline = 0 'False

Italic = 0 'False

Strikethrough = 0 'False

EndProperty

Height = 375

Left = 4680

MaskColor = &H8000000F&

TabIndex = 1

Top = 4680

Width = 2055

End

Begin VB.CommandButton Command1

Caption = "I Agree"

BeginProperty Font

Name = "Verdana"

Size = 9

Charset = 0

Weight = 400

Underline = 0 'False

Italic = 0 'False

Strikethrough = 0 'False

EndProperty

Height = 375

Left = 1920

TabIndex = 0

Top = 4680
Width = 2055

End

Begin VB.Line Line1

BorderColor = &H00400000&
BorderWidth = 2
Index = 0
X1 = 240
X2 = 8280
Y1 = 1200
Y2 = 1200

End

Begin VB.Label Label2

BackColor = &H00800000&
Caption = "Work From An EMPTY INBOX! License Agreement"

BeginProperty Font

Name = "Verdana"
Size = 6.75
Charset = 0
Weight = 700
Underline = 0 'False
Italic = 0 'False
Strikethrough = 0 'False

EndProperty

ForeColor = &H00FFFFFFF&
Height = 495
Left = 360
TabIndex = 4
Top = 1320
Width = 4935

End

Begin VB.Line Line1

BorderColor = &H00400000&

BorderWidth = 2

Index = 1

X1 = 240

X2 = 8280

Y1 = 4560

Y2 = 4560

End

Begin VB.Label Label1

Alignment = 2 'Center

BackColor = &H00800000&

Caption = "A proven working system for all users of Microsoft

OUTLOOK (R)"

BeginProperty Font

Name = "Verdana"

Size = 6.75

Charset = 0

Weight = 700

Underline = 0 'False

Italic = 0 'False

Strikethrough = 0 'False

EndProperty

ForeColor = &H00FFFFFF&

Height = 495

Left = 5640

TabIndex = 3

Top = 585

Width = 2655

End

Begin VB.Image Image2

Height = 900

Left = 320

Picture = "FormLicense.frx":002E

Top = 120



Width = 1845

End

End

Attribute VB_Name = "FormLicenseAgreement"

Attribute VB_GlobalNameSpace = False

Attribute VB_Creatable = False

Attribute VB_PredeclaredId = True

Attribute VB_Exposed = False

Public isYes As Boolean

Private Sub Command1_Click()

isYes = True

Unload Me

End Sub

Private Sub Command2_Click()

isYes = False

Unload Me

End Sub



APPENDIX 6

VERSION 5.00

Begin VB.Form FormSerial

```
BackColor      = &H00800000&
Caption        = "Work From An EMPTY INBOX! Set-Up"
ClientHeight   = 2670
ClientLeft     = 2970
ClientTop      = 3045
ClientWidth    = 6975
LinkTopic      = "Form1"
ScaleHeight    = 2670
ScaleWidth     = 6975
```

Begin VB.TextBox Text1

```
Height        = 285
Left          = 960
TabIndex      = 0
Top           = 1470
Width         = 5760
```

End

Begin VB.CommandButton Command4

Caption = "Cancel"

BeginProperty Font

```
Name          = "Verdana"
Size          = 9
Charset       = 0
Weight       = 400
Underline    = 0 'False
Italic       = 0 'False
Strikethrough = 0 'False
```

EndProperty

```
Height        = 375
Left          = 3840
MaskColor     = &H80000000F&
```

TabIndex = 2
Top = 2160
Width = 2055

End

Begin VB.CommandButton Command3

Caption = "OK"

BeginProperty Font

Name = "Verdana"

Size = 9

Charset = 0

Weight = 400

Underline = 0 'False

Italic = 0 'False

Strikethrough = 0 'False

EndProperty

Height = 375

Left = 1080

TabIndex = 1

Top = 2160

Width = 2055

End

Begin VB.Line Line1

BorderColor = &H00400000&

BorderWidth = 2

Index = 0

X1 = 240

X2 = 6700

Y1 = 1200

Y2 = 1200

End

Begin VB.Line Line1

BorderColor = &H00400000&

BorderWidth = 2

Index = 1

X1 = 240

X2 = 6700

Y1 = 2040

Y2 = 2040

End

Begin VB.Label Labe2

Alignment = 2 'Center

BackColor = &H00800000&

Caption = "Serial #"

BeginProperty Font

Name = "Verdana"

Size = 6.75

Charset = 0

Weight = 700

Underline = 0 'False

Italic = 0 'False

Strikethrough = 0 'False

EndProperty

ForeColor = &H00FFFFFF&

Height = 195

Index = 1

Left = 240

TabIndex = 4

Top = 1530

Width = 735

End

Begin VB.Image Image2

Height = 900

Left = 360

Picture = "FormSerial.frx":0000


Top = 120

Width = 1845

```

End
Begin VB.Label Label1
    Alignment      = 2 'Center
    BackColor      = &H00800000&
    Caption        = "A proven working system for all users of Microsoft
OUTLOOK (R)"
    BeginProperty Font
        Name        = "Verdana"
        Size        = 6.75
        Charset     = 0
        Weight      = 700
        Underline   = 0 'False
        Italic      = 0 'False
        Strikethrough = 0 'False
    EndProperty
    ForeColor      = &H00FFFFFF&
    Height         = 495
    Index          = 0
    Left           = 4100
    TabIndex       = 3
    Top            = 580
    Width          = 2655
End
End
Attribute VB_Name = "FormSerial"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False
Public isYes As Boolean
Private Sub Command3_Click()
    isYes = True
    Unload Me

```

End Sub

Private Sub Command4_Click()

isYes = False

Unload Me

End Sub

APPENDIX 7

VERSION 5.00

Begin VB.Form FormSetCoolbar

BackColor = &H00800000&

BorderStyle = 1 'Fixed Single

Caption = "Work From An EMPTY INBOX! Set-Up"

ClientHeight = 2595

ClientLeft = 1935

ClientTop = 1680

ClientWidth = 5460

Icon = "FormSetCoolbar.frx":0000

LinkTopic = "Form2"

MaxButton = 0 'False

MinButton = 0 'False

ScaleHeight = 2595

ScaleWidth = 5460

Begin VB.CommandButton Command2

Caption = "Work From An EMPTY INBOX! OFF"

BeginProperty Font

Name = "Verdana"

Size = 9

Charset = 0

Weight = 400

Underline = 0 'False

Italic = 0 'False

Strikethrough = 0 'False

EndProperty

Height = 525

Left = 360

TabIndex = 1

Top = 1800

Width = 3255

End

Begin VB.CommandButton Command1

Caption = " Work From An EMPTY INBOX! ON"

BeginProperty Font

Name = "Verdana"

Size = 9

Charset = 0

Weight = 400

Underline = 0 'False

Italic = 0 'False

Strikethrough = 0 'False

EndProperty

Height = 525

Left = 360

TabIndex = 0

Top = 1170

Width = 3255

End

Begin VB.Image Image2

Height = 900

Left = 360

Picture = "FormSetCoolbar.frx":498A

Top = 120

Width = 1845

End

Begin VB.Line Line1

BorderColor = &H00400000&

BorderWidth = 2

Index = 1

X1 = 120

X2 = 5300

Y1 = 2400

Y2 = 2400

End

Begin VB.Line Line1

BorderColor = &H00400000&

BorderWidth = 2

Index = 0

X1 = 120

X2 = 5300

Y1 = 1080

Y2 = 1080

End

Begin VB.Image Image1

Height = 1140

Left = 3960

Picture = "FormSetCoolbar.frx":5C5C

Top = 1170

Width = 1155

End

Begin VB.Label Label1

Alignment = 2 'Center

BackColor = &H00800000&

Caption = "A proven working system for all users of Microsoft

OUTLOOK (R)"

BeginProperty Font

Name = "Verdana"

Size = 6.75

Charset = 0

Weight = 700

Underline = 0 'False

Italic = 0 'False

Strikethrough = 0 'False

EndProperty

ForeColor = &H00FFFFFF&

Height = 495

Left = 2520

```
TabIndex    = 2
Top         = 550
Width       = 2655
```

```
End
```

```
End
```

```
Attribute VB_Name = "FormSetCoolbar"
```

```
Attribute VB_GlobalNameSpace = False
```

```
Attribute VB_Creatable = False
```

```
Attribute VB_PredeclaredId = True
```

```
Attribute VB_Exposed = False
```

```
Option Explicit
```

```
Private CurrOfficeVer As Integer
```

```
Private Application As Object
```

```
Private myNameSpace As Object
```

```
Private myTasksFolder As Object
```

```
Private myContactsFolder As Object
```

```
Private myCalendarFolder As Object
```

```
Private myInboxFolder As Object
```

```
Private myJournalFolder As Object
```

```
Private myNotesFolder As Object
```

```
Private myReadMailItem As Object
```

```
Private myTaskItem As Object
```

```
Private myContactItem As Object
```

```
Private myAppointmentItem As Object
```

```
Private IDArray(29, 2) As String
```

```
Private BarInfo(30, 5) As String
```

```
'Private myCommandBars As New CollectionCmdBars
```

```
Private myFile As Object
```

```
Private fso As Object
```

```
Sub SetFoldersInfo(currExplorer As Object)

Dim myProjectsFolder As Object
On Error Resume Next
Set myProjectsFolder = myTasksFolder.Parent.Folders("Projects")
If TypeName(myProjectsFolder) = "Nothing" Then
    Set myProjectsFolder = myTasksFolder.Parent.Folders.Add("Projects",
olFolderContacts)
End If

Dim myOlBar As Object
Dim i As Integer
Set myOlBar = currExplorer.Panes.Item("OutlookBar")
For i = 1 To myOlBar.Contents.Groups.Count
    If myOlBar.Contents.Groups.Item(i).Name = "Work From An EMPTY
INBOX!" Then
        myOlBar.Contents.Groups.Remove i
    End If
Next

Dim myGroup As Object
Set myGroup = myOlBar.Contents.Groups.Add("Work From An EMPTY
INBOX!", 1)

myGroup.Shortcuts.Add myInboxFolder, "Inbox"

myGroup.Shortcuts.Add myCalendarFolder, "My Diary"

myGroup.Shortcuts.Add myContactsFolder, "Contacts"

myGroup.Shortcuts.Add myTasksFolder, "Tasks"
```

```
myGroup.Shortcuts.Add myProjectsFolder, "Projects"
```

```
myGroup.Shortcuts.Add myNotesFolder, "Ideas"
```

```
Dim mySendItemFolder As Object
```

```
Set mySendItemFolder =
```

```
myNameSpace.GetDefaultFolder(olFolderSentMail)
```

```
myGroup.Shortcuts.Add mySendItemFolder, "Send Items"
```

```
End Sub
```

```
Sub BeginSetting()
```

```
Dim i As Integer
```

```
Set myTasksFolder = myNameSpace.GetDefaultFolder(olFolderTasks)
```

```
Set myContactsFolder =
```

```
myNameSpace.GetDefaultFolder(olFolderContacts)
```

```
Set myCalendarFolder =
```

```
myNameSpace.GetDefaultFolder(olFolderCalendar)
```

```
Set myInboxFolder = myNameSpace.GetDefaultFolder(olFolderInbox)
```

```
Set myJournalFolder =
```

```
myNameSpace.GetDefaultFolder(olFolderJournal)
```

```
Set myNotesFolder = myNameSpace.GetDefaultFolder(olFolderNotes)
```

```
Dim currExplorer As Object
```

```
Set currExplorer = myInboxFolder.GetExplorer
```

```
currExplorer.display
```

```
SetFoldersInfo currExplorer
```

```
Dim CurrBar As Object
```

```
Dim aa As Object
```

```

Set CurrBar = Application.ActiveExplorer.CommandBars.Item("Menu
Bar")

```

```

CurrBar.Reset

```

```

Set Application.ActiveExplorer.CurrentFolder = myTasksFolder

```

```

getCMBControl

```

```

Set Application.ActiveExplorer.CurrentFolder = myContactsFolder

```

```

getCMBControl

```

```

Set Application.ActiveExplorer.CurrentFolder = myCalendarFolder

```

```

getCMBControl

```

```

Set Application.ActiveExplorer.CurrentFolder = myJournalFolder

```

```

getCMBControl

```

```

Set Application.ActiveExplorer.CurrentFolder = myNotesFolder

```

```

getCMBControl

```

```

Set Application.ActiveExplorer.CurrentFolder = myInboxFolder

```

```

getCMBControl

```

```

'Set Application.ActiveExplorer.CurrentFolder = myInboxFolder

```

```

Dim MainMenuBar As ClassCmdBar

```

```

Set MainMenuBar = MainBars.FindBar("Menu Bar")

```

```

Dim a As Object

```

```

Dim haveCtl As Boolean

```

```

On Error Resume Next

```

```

For i = 1 To MainMenuBar.Controls.Count

```

```

    haveCtl = True

```

```

    Do While haveCtl

```

```

        Set a = CurrBar.FindControl(ID:=MainMenuBar.Controls(i).ID,

```

```

Tag:="0")

```

```

        If TypeName(a) = "Nothing" Then

```

```

            haveCtl = False

```

```

        Else

```



```
a.Tag = "1"  
a.Visible = True  
a.Move CurrBar  
End If  
Loop  
Next
```

'delete no ues button

If CurrOfficeVer = 10 Then

Set Application.ActiveExplorer.CurrentFolder = myCalendarFolder

Set CurrBar = Application.ActiveExplorer.CommandBars.Item("Menu
Bar")

Set a = CurrBar.FindControl(ID:=1099, Tag:="1", Visible:=True)

a.Visible = False

Set a = CurrBar.FindControl(ID:=356, Tag:="1", Visible:=True)

a.Visible = False

Set Application.ActiveExplorer.CurrentFolder = myNotesFolder

Set CurrBar = Application.ActiveExplorer.CommandBars.Item("Menu
Bar")

Set a = CurrBar.FindControl(ID:=356, Tag:="1", Visible:=True)

a.Visible = False

Set Application.ActiveExplorer.CurrentFolder = myContactsFolder

Set CurrBar = Application.ActiveExplorer.CommandBars.Item("Menu
Bar")

Set a = CurrBar.FindControl(ID:=356, Tag:="1", Visible:=True)

a.Visible = False

Set Application.ActiveExplorer.CurrentFolder = myTasksFolder

```

Set CurrBar = Application.ActiveExplorer.CommandBars.Item("Menu
Bar")

```

```

Set a = CurrBar.FindControl(ID:=356, Tag:="1", Visible:=True)
a.Visible = False

```

```

Else

```

```

Set Application.ActiveExplorer.CurrentFolder = myInboxFolder

```

```

Set CurrBar = Application.ActiveExplorer.CommandBars.Item("Menu
Bar")

```

```

'Set a = CurrBar.FindControl(ID:=1099, Tag:="1", Visible:=True)

```

```

'a.Visible = False

```

```

CurrBar.Controls.Add Type:=1, ID:=19, before:=28

```

```

End If

```

```

Err.Clear

```

```

'=====set Inspector =====

```

```

Dim CurrItem As Object

```

```

Dim myInspector As Object

```

```

Dim CurrBars As Object

```

```

Set CurrItem = Application.CreateItem(olTaskItem)

```

```

Set myInspector = CurrItem.GetInspector

```

```

Set CurrBars = myInspector.CommandBars

```

```

For i = 1 To CurrBars.Count

```

```

    CurrBars(i).Reset

```

```

Next

```

```

myInspector.Close 1

```

```

Set myInspector = Nothing

```

```

CurrItem.Close 1

```

```
If myInboxFolder.Items.Count = 0 Then
    MsgBox "Sorry! Have not any mial in your Inbox, so can not set the
config for 'View Mail' window.", vbCritical
```

```
Else
```

```
    Set CurrItem = myInboxFolder.Items(1)
```

```
    If Err = 0 Then SetItemCMBCControl CurrItem, ReadBars
```

```
End If
```

```
CurrItem.Close 1
```

```
Err.Clear
```

```
If myTasksFolder.Items.Count = 0 Then
```

```
    Set CurrItem = Application.CreateItem(olTaskItem)
```

```
Else
```

```
    Set CurrItem = myTasksFolder.Items(1)
```

```
End If
```

```
If Err = 0 Then SetItemCMBCControl CurrItem, TaskBars
```

```
CurrItem.Close 1
```

```
Err.Clear
```

```
If myContactsFolder.Items.Count = 0 Then
```

```
    Set CurrItem = Application.CreateItem(olContactItem)
```

```
Else
```

```
    Set CurrItem = myContactsFolder.Items(1)
```

```
End If
```

```
If Err = 0 Then SetItemCMBCControl CurrItem, ContactBars
```

```
CurrItem.Close 1
```

```
Err.Clear
```

```
If myCalendarFolder.Items.Count = 0 Then
```

```
    Set CurrItem = Application.CreateItem(olAppointmentItem)
```

```
Else
```

```
    Set CurrItem = myCalendarFolder.Items(1)
```

```
End If
```

If Err = 0 Then SetItemCMBCControl CurrItem, AppointmentBars
CurrItem.Close 1
Err.Clear

'set visible

If myInboxFolder.Items.Count > 0 Then
 Set CurrItem = myInboxFolder.Items(1)
 If Err = 0 Then SetItemCMBCControlVisible CurrItem, ReadBars
 CurrItem.Close 1
 Err.Clear
End If

If myTasksFolder.Items.Count = 0 Then
 Set CurrItem = Application.CreateItem(olTaskItem)
Else
 Set CurrItem = myTasksFolder.Items(1)
End If
If Err = 0 Then SetItemCMBCControlVisible CurrItem, TaskBars
CurrItem.Close 1
Err.Clear

If myContactsFolder.Items.Count = 0 Then
 Set CurrItem = Application.CreateItem(olContactItem)
Else
 Set CurrItem = myContactsFolder.Items(1)
End If
If Err = 0 Then SetItemCMBCControlVisible CurrItem, ContactBars
CurrItem.Close 1
Err.Clear

If myCalendarFolder.Items.Count = 0 Then
 Set CurrItem = Application.CreateItem(olAppointmentItem)
Else

```

Set CurrItem = myCalendarFolder.Items(1)
End If
If Err = 0 Then SetItemCMBCControlVisible CurrItem, AppointmentBars
CurrItem.Close 1
Err.Clear

```

```

'set sort
If myCalendarFolder.Items.Count = 0 Then
    Set CurrItem = Application.CreateItem(olAppointmentItem)
Else
    Set CurrItem = myCalendarFolder.Items(1)
End If
If Err = 0 Then SetItemCMBCControlSort CurrItem, AppointmentBars
CurrItem.Close 1
Err.Clear


```

```

'delete no ues button
If CurrOfficeVer = 10 Then

    If myCalendarFolder.Items.Count = 0 Then
        Set CurrItem = Application.CreateItem(olAppointmentItem)
    Else
        Set CurrItem = myCalendarFolder.Items(1)
    End If
    If Err = 0 Then
        Set myInspector = CurrItem.GetInspector
        Set CurrBar = myInspector.CommandBars.Item("Menu Bar")
        myInspector.display
        Set a = CurrBar.FindControl(ID:=356, Tag:="1", Visible:=True)
        a.Visible = False
        Set CurrBar = myInspector.CommandBars.Item("Standard")
        Set a = CurrBar.FindControl(ID:=19, Tag:="1", Visible:=True)
    End If
End If

```



```
a.Visible = False
myInspector.Close
End If
CurrItem.Close 1
Err.Clear

If myContactsFolder.Items.Count = 0 Then
    Set CurrItem = Application.CreateItem(olContactItem)
Else
    Set CurrItem = myContactsFolder.Items(1)
End If
If Err = 0 Then
    Set myInspector = CurrItem.GetInspector
    Set CurrBar = myInspector.CommandBars.Item("Menu Bar")
    myInspector.display
    Set a = CurrBar.FindControl(ID:=356, Tag:="1", Visible:=True)
    a.Visible = False
    myInspector.Close
End If
CurrItem.Close 1
Err.Clear

If myTasksFolder.Items.Count = 0 Then
    Set CurrItem = Application.CreateItem(olTaskItem)
Else
    Set CurrItem = myTasksFolder.Items(1)
End If
If Err = 0 Then
    Set myInspector = CurrItem.GetInspector
    Set CurrBar = myInspector.CommandBars.Item("Menu Bar")
    myInspector.display
    Set a = CurrBar.FindControl(ID:=354, Tag:="1", Visible:=True)
    a.Visible = False
```

```

Set a = CurrBar.FindControl(ID:=356, Tag:="1", Visible:=True)
a.Visible = False
Set CurrBar = myInspector.CommandBars.Item("Standard")
Set a = CurrBar.FindControl(ID:=19, Tag:="1", Visible:=True)
a.Visible = False
Set a = CurrBar.FindControl(ID:=353, Tag:="1", Visible:=True)
a.Visible = False
Set a = CurrBar.FindControl(ID:=2617, Tag:="1", Visible:=True)
a.Visible = False

```

```

myInspector.Close
End If
CurrItem.Close 1
Err.Clear

```

```

If myInboxFolder.Items.Count = 0 Then
    MsgBox "Sorry! Have not any mial in your Inbox, so can not set the
config for 'View Mail' window.", vbCritical

```

```

Else
    Set CurrItem = myInboxFolder.Items(1)
    Set myInspector = CurrItem.GetInspector
    myInspector.display
    Set CurrBar = myInspector.CommandBars.Item("Standard")
    Set a = CurrBar.FindControl(ID:=353, Tag:="1", Visible:=False)
    a.Visible = True
    Set a = CurrBar.FindControl(ID:=2617, Tag:="1", Visible:=False)
    a.Visible = True
    myInspector.Close
End If
CurrItem.Close 1

```

```

Else
    If myTasksFolder.Items.Count = 0 Then

```

```
Set CurrItem = Application.CreateItem(olTaskItem)
```

```
Else
```

```
Set CurrItem = myTasksFolder.Items(1)
```

```
End If
```

```
If Err = 0 Then
```

```
Set myInspector = CurrItem.GetInspector
```

```
Set CurrBar = myInspector.CommandBars.Item("Menu Bar")
```

```
myInspector.display
```

```
Set a = CurrBar.FindControl(ID:=354, Tag:="1", Visible:=True)
```

```
a.Visible = False
```

```
Set a = CurrBar.FindControl(ID:=356, Tag:="1", Visible:=True)
```

```
a.Visible = False
```

```
Set CurrBar = myInspector.CommandBars.Item("Standard")
```

```
Set a = CurrBar.FindControl(ID:=353, Tag:="1", Visible:=True)
```

```
a.Visible = False
```

```
Set a = CurrBar.FindControl(ID:=2617, Tag:="1", Visible:=True)
```

```
a.Visible = False
```

```
myInspector.Close
```

```
End If
```

```
CurrItem.Close 1
```

```
Err.Clear
```

```
If myInboxFolder.Items.Count = 0 Then
```

```
MsgBox "Sorry! Have not any mial in your Inbox, so can not set the  
config for 'View Mail' window.", vbCritical
```

```
Else
```

```
Set CurrItem = myInboxFolder.Items(1)
```

```
Set myInspector = CurrItem.GetInspector
```

```
myInspector.display
```

```
Set CurrBar = myInspector.CommandBars.Item("Standard")
```

```
Set a = CurrBar.FindControl(ID:=353, Tag:="1", Visible:=False)
```

```
a.Visible = True
```

```
Set a = CurrBar.FindControl(ID:=2617, Tag:="1", Visible:=False)
```



```

'     a.Visible = True
'     myInspector.Close
'     End If
'     CurrItem.Close 1

```

```

    Err.Clear
End If

```

```

    Err.Clear

```

```

End Sub

```

```

Function SetCMBControl(ctrlInfo As ClassCmdControl, ByRef CurrBar As
Object, CurrBars As Object) As Boolean

```

```

    Dim Controla As Object
    Dim Controlb As Object
    Dim needNew As Boolean
    Dim needCopy As Boolean
    Dim haveit As Boolean
    Dim ctrls As Object
    Dim i As Integer

```

```

    On Error Resume Next

```

```

    Set Controla = CurrBar.FindControl(Type:=ctrlInfo.Type, ID:=ctrlInfo.ID,
Tag:="0")

```

```

    If TypeName(Controla) <> "Nothing" Then

```

```

        Controla.Visible = True

```

```

        If Controla.Visible Then

```

```

            SetCMBControl = True

```

```

            Exit Function

```

```

        End If

```

End If

Set Controla = CurrBar.FindControl(Type:=ctrlInfo.Typeex, ID:=ctrlInfo.ID)

If TypeName(Controla) <> "Nothing" Then

Controla.Visible = True

haveit = True

If Controla.Visible = True Then

needNew = False

Else

needNew = True

End If

Else

needNew = True

haveit = False

End If

If needNew Then

Set contrls = CurrBars.FindControls(Type:=ctrlInfo.Typeex,
ID:=ctrlInfo.ID)

If TypeName(contrls) <> "Nothing" Then

haveit = True

Set Controlb = contrls(1)

For i = 1 To contrls.Count

If contrls(i).Visible = True Then

Set Controlb = contrls(i)

Exit For

End If

Next

If Controlb.Visible = True Then

'If haveit Then Controla.Delete

needCopy = True

Else

```
    needCopy = False
End If

If needCopy Then
    Set Controla = Controlb.Copy(CurrBar)
End If
Else
    Set Controla = CurrBar.Controls.Add(Type:=ctrlInfo.Type,
ID:=ctrlInfo.ID)
    haveit = True
End If
End If

If haveit Then
    Controla.Caption = ctrlInfo.Caption
    Controla.Priority = 1
    Controla.Tag = "0"
    If Controla.Caption = "Useful Help" Then
        Controla.HyperlinkType = msoCommandBarButtonHyperlinkOpen
        Controla.TooltipText = "http://www.work-from-an-empty-inbox.com"
    End If
    If ctrlInfo.Type = msoControlButton Then
        Controla.Style = ctrlInfo.Style
        If ctrlInfo.FaceId = 0 Then
            Controla.BuiltInFace = True
        Else
            Controla.FaceId = ctrlInfo.FaceId
        End If
        Controla.ShortcutText = ctrlInfo.ShortcutText
    End If
    If ctrlInfo.Type = msoControlGraphicCombo Or ctrlInfo.Type =
msoControlGraphicCombo Or (ctrlInfo.Type >= msoControlDropdown And
ctrlInfo.Type <= msoControlOCXDropdown) Then
```

```

    Controla.Style = ctrlInfo.Style
End If

```

```

End If
Err.Clear
On Error GoTo 0
End Function

```

```

Sub getCMBControl()
    Dim CurrBars As Object
    Dim i As Integer
    Set CurrBars = Application.ActiveExplorer.CommandBars
    On Error Resume Next
    For i = 1 To CurrBars.Count
        CurrBars.Item(i).Visible = False
    Next
    On Error GoTo 0

    Dim CurrBar As Object
    Set CurrBar = CurrBars.Item("Menu Bar")
    Dim MenuBar As New ClassCmdBar
    Set MenuBar = MainBars.FindBar("Menu Bar")
    For i = 1 To MenuBar.Controls.Count
        SetCMBControl ctrlInfo:=MenuBar.Controls(i), CurrBar:=CurrBar,
CurrBars:=CurrBars
    Next
End Sub

```

```

Sub SetItemCMBControl(myItem As Object, currCMBsInfo As
CollectionCmdBars)
    Dim BarInfo As New ClassCmdBar
    Dim CurrBars As Object
    Dim myInspector As Object

```

```

Dim cb As Object
Dim i As Integer
Dim j As Integer
Dim k As Integer
Dim haveCtl As Boolean

```

```

Set myInspector = myItem.GetInspector
Set CurrBars = myInspector.CommandBars
myInspector.display
On Error Resume Next
For i = 1 To CurrBars.Count
    CurrBars.Item(i).Visible = False
Next
On Error GoTo 0

```

```

Err.Clear
Dim CurrBar As Object
For i = 1 To CurrBars.Count
    Set BarInfo = currCMBsInfo.FindBar(CurrBars.Item(i).Name)
    If BarInfo.Visible Then
        Set CurrBar = CurrBars.Item(i)
        CurrBar.Visible = True
        For j = 1 To CurrBar.Controls.Count
            If CurrBar.Controls.Item(j).Tag <> "0" Then
CurrBar.Controls.Item(j).Visible = False
            Next
            For j = 1 To BarInfo.Controls.Count
                SetCMBControl ctrlInfo:=BarInfo.Controls(j), CurrBar:=CurrBar,
CurrBars:=CurrBars
            Next
        End If
    Next
Next
myInspector.Close 1

```

End Sub

Sub SetItemCMBControlSort(myItem As Object, currCMBsInfo As
CollectionCmdBars)

Dim BarInfo As New ClassCmdBar

Dim CurrBars As Object

Dim myInspector As Object

Dim cb As Object

Dim i As Integer

Dim j As Integer

Dim k As Integer

Dim haveCtl As Boolean

Set myInspector = myItem.GetInspector

Set CurrBars = myInspector.CommandBars

myInspector.display

Dim CurrBar As Object

For i = 1 To CurrBars.Count

Set BarInfo = currCMBsInfo.FindBar(CurrBars.Item(i).Name)

If BarInfo.Visible Then

Set CurrBar = CurrBars.Item(i)

On Error Resume Next

If CurrBars.Item(i).Name = "Menu Bar" Then

For j = 1 To 19

haveCtl = True

Do While haveCtl

Set cb =

CurrBar.FindControl(ID:=ItemMainBarIndexArray(j), Tag:="0")

If TypeName(cb) = "Nothing" Then

haveCtl = False

Else

cb.Tag = "1"

```

        cb.Visible = True
        cb.Move CurrBar
    End If
Loop
Next
Else
    For j = 1 To 32
        haveCtl = True
        Do While haveCtl
            Set cb = CurrBar.FindControl(ID:=ItemStdBarIndexArray(j),
Tag:="0")

            If TypeName(cb) = "Nothing" Then
                haveCtl = False
            Else
                cb.Tag = "1"
                cb.Visible = True
                cb.Move CurrBar
            End If
        Loop
    Next
End If
End If
Next
myInspector.Close 1
End Sub

Sub SetItemCMBCControlVisible(myItem As Object, currCMBsInfo As
CollectionCmdBars)
    Dim BarInfo As New ClassCmdBar
    Dim CurrBars As Object
    Dim myInspector As Object
    Dim cb As Object
    Dim i As Integer
    Dim j As Integer

```

Dim k As Integer

Set myInspector = myItem.GetInspector
Set CurrBars = myInspector.CommandBars
myInspector.display
Err.Clear

Dim CurrBar As Object

For i = 1 To CurrBars.Count

Set BarInfo = currCMBsInfo.FindBar(CurrBars.Item(i).Name)

If BarInfo.Visible Then

Set CurrBar = CurrBars.Item(i)

CurrBar.Visible = True

For j = 1 To CurrBar.Controls.Count

For k = 1 To BarInfo.Controls.Count

If BarInfo.Controls(k).ID = CurrBar.Controls(j).ID And
CurrBar.Controls(j).Tag = "0" Then

CurrBar.Controls(j).Visible = True

End If

Next

Next

End If

Next

myInspector.Close 1

End Sub

Private Sub Command1_Click()

FormLicenseAgreement.Show 1

If FormLicenseAgreement.isYes Then

FormSerial.Show 1

If FormSerial.isYes Then

Screen.MousePointer = vbHourglass


```

ReadInfo
Set Application = CreateObject("Outlook.Application")
CurrOfficeVer = 10
Dim a As String
a = Application.version
a = Left(a, 2)
If a = "9." Then CurrOfficeVer = 9
If a = "10" Then CurrOfficeVer = 10
If a = "11" Then CurrOfficeVer = 11

Set myNameSpace = Application.GetNameSpace("MAPI")
BeginSetting
Application.Quit
Set Application = Nothing
Screen.MousePointer = vbDefault
MsgBox "Update succeed!"
End
End If
End If
End Sub

Private Sub Command2_Click()
Dim currExplorer As Object
Dim myInspector As Object
Dim CurrBar As Object
Dim CurrItem As Object
Dim i As Integer

Screen.MousePointer = vbHourglass
Set Application = CreateObject("Outlook.Application")
Set myNameSpace = Application.GetNameSpace("MAPI")
Set myTasksFolder = myNameSpace.GetDefaultFolder(olFolderTasks)
Set currExplorer = myTasksFolder.GetExplorer

```

currExplorer.display

Dim myOlBar As Object

Set myOlBar = currExplorer.Panes.Item("OutlookBar")

For i = 1 To myOlBar.Contents.Groups.Count

 If myOlBar.Contents.Groups.Item(i).Name = "Work From An EMPTY
INBOX!" Then

 myOlBar.Contents.Groups.Remove i

 i = i - 1

 End If

Next

Set CurrBar = Application.ActiveExplorer.CommandBars.Item("Menu
Bar")

CurrBar.Reset

currExplorer.Close

Set CurrItem = Application.CreateItem(olTaskItem)

Set myInspector = CurrItem.GetInspector

For i = 1 To myInspector.CommandBars.Count

 myInspector.CommandBars.Item(i).Reset

Next

myInspector.Close 1

CurrItem.Close 1

Application.Quit

Set Application = Nothing

Screen.MousePointer = vbDefault

MsgBox "Update succeed!"

End

End Sub

APPENDIX 8

Attribute VB_Name = "ModuleInfo"

Option Explicit

Public ItemMainBarIndexArray(25) As Integer

Public ItemStdBarIndexArray(33) As Integer

Public Const msoControlButton = 1

Public Const msoControlEdit = 2

Public Const msoControlDropdown = 3

Public Const msoControlComboBox = 4

Public Const msoControlButtonDropdown = 5

Public Const msoControlSplitDropdown = 6

Public Const msoControlOCXDropdown = 7

Public Const msoControlGraphicDropdown = 9

Public Const msoControlGraphicCombo = 20

Public Const msoControlPopup = 10

Public Const msoControlGraphicPopup = 11

Public Const msoControlButtonPopup = 12

Public Const msoControlSplitButtonPopup = 13

Public Const msoControlSplitButtonMRUPopup = 14

Public Const olFolderCalendar = 9

Public Const olFolderContacts = 10

Public Const olFolderDeletedItems = 3

Public Const olFolderDrafts = 16

Public Const olFolderInbox = 6

Public Const olFolderJournal = 11

Public Const olFolderNotes = 12

Public Const olFolderOutbox = 4

Public Const olFolderSentMail = 5

Public Const olFolderTasks = 13

Public Const olPublicFoldersAllPublicFolders = 18

Public Const msoCommandBarButtonHyperlinkOpen = 1

Public Const olMailItem = 0

Public Const olAppointmentItem = 1

Public Const olContactItem = 2

Public Const olTaskItem = 3

Public Const olJournalItem = 4

Public Const olNoteItem = 5

Public Const olPostItem = 6

Public Const olDistributionListItem = 7

Public MainBars As New CollectionCmdBars

Public TaskBars As New CollectionCmdBars

Public ReadBars As New CollectionCmdBars

Public ContactBars As New CollectionCmdBars

Public AppointmentBars As New CollectionCmdBars

Public Sub ReadInfo()

SetAppointmentBarsInfo

SetContactBarsInfo

SetMailBarsInfo

SetTaskBarsInfo

SetMainMenuBarInfo

SetCtlIndexInfo

End Sub

Public Sub SetMainMenuBarInfo()

Dim CurrBar As ClassCmdBar

Dim currCTL As ClassCmdControl

'---Bar 1 -----

Set CurrBar = MainBars.Add

CurrBar.Nameex = "Clipboard"

CurrBar.Visible = False

'---Bar 2 -----

Set CurrBar = MainBars.Add

CurrBar.Name = "Menu Bar"

CurrBar.Visible = True

'--- 1 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30141

currCTL.Index = 1

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 2 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30131

currCTL.Index = 2

currCTL.Caption = "Unlocking OUTLOOK "

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 3 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30142

```
currCTL.Index = 3
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```


```
'--- 4 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30149
currCTL.Index = 4
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 5 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30119
currCTL.Index = 5
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 6 -----
```



```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 4
currCTL.ID = 1893
currCTL.Index = 6
currCTL.Caption = "Current &View"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 7 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1094
currCTL.Index = 7
currCTL.Caption = "Today "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1094
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 8 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1095
currCTL.Index = 8
currCTL.Caption = "This Week "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1095
currCTL.ShortcutText = ""
```

currCTL.Style = 3

'--- 9 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 1

currCTL.ID = 1096

currCTL.Index = 9

currCTL.Caption = "This Month "

currCTL.DescriptionText = ""

currCTL.BuiltInFace = True

currCTL.FaceID = 1096

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 10 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 1

currCTL.ID = 109

currCTL.Index = 10

currCTL.Caption = "Print Now"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 2144

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 11 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30002

currCTL.Index = 11

currCTL.Caption = "&File"

currCTL.DescriptionText = ""


```
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 12 -----
```


```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30003
currCTL.Index = 12
currCTL.Caption = "&Edit"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 13 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30004
currCTL.Index = 13
currCTL.Caption = "&View"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 14 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30176
```



```
currCTL.Index = 14  
currCTL.Caption = "Fav&orites"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```


```
'--- 15 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30007  
currCTL.Index = 15  
currCTL.Caption = "&Tools"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 16 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30010  
currCTL.Index = 16  
currCTL.Caption = "Microsoft Help"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 17 -----
```



```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1016
currCTL.Index = 17
currCTL.Caption = "Useful Help"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 59
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 19 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1758
currCTL.Index = 19
currCTL.Caption = "New Idea "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1758
currCTL.ShortcutText = "Ctrl+N"
currCTL.Style = 3
```

'--- 20 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1099
currCTL.Index = 20
currCTL.Caption = "New Contact or Project"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1099
currCTL.ShortcutText = "Ctrl+N"
```

currCTL.Style = 3

'--- 21 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 5592

currCTL.Index = 21

currCTL.Caption = " Find An Entry In This Part of OUTLOOK "

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 29

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 22 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 354

currCTL.Index = 22

currCTL.Caption = "Deal With It Now"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 2151

currCTL.ShortcutText = "Ctrl+R"

currCTL.Style = 3

'--- 23 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 1679

currCTL.Index = 23

currCTL.Caption = "Decide What To Do With It"

currCTL.DescriptionText = ""

```
currCTL.BuiltInFace = False
currCTL.FaceId = 49
currCTL.ShortcutText = "Ctrl+Shift+V"
currCTL.Style = 3
```

```
'--- 24 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 356
currCTL.Index = 24
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```

```
'--- 25 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 478
currCTL.Index = 25
currCTL.Caption = "Ditch It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 67
currCTL.ShortcutText = "Ctrl+D"
currCTL.Style = 3
```

```
'--- 26 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 21
```

```
currCTL.Index = 26
currCTL.Caption = "Cu&t"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 21
currCTL.ShortcutText = "Ctrl+X"
currCTL.Style = 0
```


'--- 27 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 19
currCTL.Index = 27
currCTL.Caption = "&Copy"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 19
currCTL.ShortcutText = "Ctrl+C"
currCTL.Style = 0
```

'--- 28 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 22
currCTL.Index = 28
currCTL.Caption = "&Paste"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 22
currCTL.ShortcutText = "Ctrl+V"
currCTL.Style = 0
```

'--- 29 -----




```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 128
currCTL.Index = 29
currCTL.Caption = " "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 128
currCTL.ShortcutText = "Ctrl+Z"
currCTL.Style = 0
```

```
'--- 30 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 4
currCTL.ID = 5454
currCTL.Index = 30
currCTL.Caption = "&Find a Contact"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 31 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 522
currCTL.Index = 31
currCTL.Caption = "Personalise OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 480
currCTL.ShortcutText = ""
```



```
currCTL.Style = 3
```

```
'---Bar 3 -----
```

```
Set CurrBar = MainBars.Add  
CurrBar.Namex = "Standard"  
CurrBar.Visible = False
```

```
'---Bar 4 -----
```

```
Set CurrBar = MainBars.Add  
CurrBar.Namex = "Web"  
CurrBar.Visible = False
```

```
'---Bar 5 -----
```

```
Set CurrBar = MainBars.Add  
CurrBar.Namex = "Advanced"  
CurrBar.Visible = False
```

```
'---Bar 6 -----
```

```
Set CurrBar = MainBars.Add  
CurrBar.Namex = "Remote"  
CurrBar.Visible = False
```

```
End Sub
```

```
Public Sub SetAppointmentBarsInfo()
```

```
Dim CurrBar As ClassCmdBar
```

```
Dim currCTL As ClassCmdControl
```

```
'---Bar 1 -----
```

```
Set CurrBar = AppointmentBars.Add  
CurrBar.Namex = "Clipboard"  
CurrBar.Visible = False
```

```
'---Bar 2 -----
```

```
Set CurrBar = AppointmentBars.Add  
CurrBar.Namex = "Menu Bar"  
CurrBar.Visible = True
```

```
'--- 1 -----
```



```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 10
currCTL.ID = 30131
currCTL.Index = 1
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 2 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 10
currCTL.ID = 30122
currCTL.Index = 2
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 3 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 10
currCTL.ID = 30130
currCTL.Index = 3
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
```

currCTL.Style = 0

'--- 4 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30127

currCTL.Index = 4

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 5 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30002

currCTL.Index = 5

currCTL.Caption = "&File"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 6 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30003

currCTL.Index = 6

currCTL.Caption = "&Edit"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 7 -----

Set currCTL = CurrBar.Controls.Add
currCTL.Type = 10
currCTL.ID = 30004
currCTL.Index = 7
currCTL.Caption = "&View"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 8 -----

Set currCTL = CurrBar.Controls.Add
currCTL.Type = 10
currCTL.ID = 30005
currCTL.Index = 8
currCTL.Caption = "&Insert"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 9 -----

Set currCTL = CurrBar.Controls.Add
currCTL.Type = 10
currCTL.ID = 30006

```
currCTL.Index = 9
currCTL.Caption = "F&ormat"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 10 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30007
currCTL.Index = 10
currCTL.Caption = "&Tools"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 11 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30145
currCTL.Index = 11
currCTL.Caption = "Fo&rm"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 12 -----
```

```
' Set currCTL = CurrBar.Controls.Add
' currCTL.Typeex = 10
' currCTL.ID = 30146
' currCTL.Index = 12
' currCTL.Caption = "&Layout"
' currCTL.DescriptionText = ""
' currCTL.BuiltInFace = False
' currCTL.FaceId = 0
' currCTL.ShortcutText = ""
' currCTL.Style = 0
```

'--- 13 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30010
currCTL.Index = 13
currCTL.Caption = "Microsoft Help "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 14 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1576
currCTL.Index = 14
currCTL.Caption = "Useful Help"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 59
currCTL.ShortcutText = ""
```

currCTL.Style = 3

'--- 15 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 1665

currCTL.Index = 15

currCTL.Caption = "Make New Item"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = True

currCTL.FaceID = 1665

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 16 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 1758

currCTL.Index = 16

currCTL.Caption = "New Idea"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = True

currCTL.FaceID = 1758

currCTL.ShortcutText = "Ctrl+Shift+N"

currCTL.Style = 3

'--- 17 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 354

currCTL.Index = 17

currCTL.Caption = "Deal With It Now"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False
currCTL.FaceId = 2151
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3

'--- 18 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1679
currCTL.Index = 18
currCTL.Caption = "Decide What To Do With It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 49
currCTL.ShortcutText = "Ctrl+Shift+V"
currCTL.Style = 3

'--- 19 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1976
currCTL.Index = 19
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 20 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 356



```
currCTL.Index = 20
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```

```
'--- 21 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 478
currCTL.Index = 21
currCTL.Caption = "Ditch It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 67
currCTL.ShortcutText = "Ctrl+D"
currCTL.Style = 3
```

```
'---Bar 3 -----
```

```
Set CurrBar = AppointmentBars.Add
CurrBar.NameX = "Standard"
CurrBar.Visible = True
```

```
'--- 1 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2011
currCTL.Index = 1
currCTL.Caption = "Close Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 2011
```


currCTL.ShortcutText = "Alt+F4"
currCTL.Style = 2

'--- 2 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1975
currCTL.Index = 2
currCTL.Caption = "Save and Close "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 271
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 3 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30005
currCTL.Index = 3
currCTL.Caption = "Get Resources"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 4 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 109
currCTL.Index = 4
currCTL.Caption = "Print Now"

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2144  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 5 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 360  
currCTL.Index = 5  
currCTL.Caption = "Next Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 360  
currCTL.ShortcutText = "Ctrl+>"  
currCTL.Style = 3
```

```
'--- 6 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 359  
currCTL.Index = 6  
currCTL.Caption = "Previous Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 359  
currCTL.ShortcutText = "Ctrl+<"  
currCTL.Style = 3
```

```
'--- 7 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 1977
currCTL.Index = 7
currCTL.Caption = "Recurring Event"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3
```

'--- 8 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1987
currCTL.Index = 8
currCTL.Caption = "Check Diary"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1987
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1086
currCTL.Index = 9
currCTL.Caption = "I&nvite Attendees..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1086
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 2
currCTL.Index = 10
currCTL.Caption = "Spell Check"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 2
currCTL.ShortcutText = "F7"
currCTL.Style = 3
```

'--- 11 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 12
currCTL.ID = 2611
currCTL.Index = 11
currCTL.Caption = "&Font Color"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 19
currCTL.Index = 12
currCTL.Caption = "Copy"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
```

```
currCTL.FaceId = 19
currCTL.ShortcutText = "Ctrl+C"
currCTL.Style = 0
```

```
'--- 13 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 22
currCTL.Index = 13
currCTL.Caption = "Paste"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 22
currCTL.ShortcutText = "Ctrl+V"
currCTL.Style = 0
```

```
'--- 14 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 128
currCTL.Index = 14
currCTL.Caption = "&Undo"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 128
currCTL.ShortcutText = "Ctrl+Z"
currCTL.Style = 0
```

```
'---Bar 4 -----
```

```
Set CurrBar = AppointmentBars.Add
CurrBar.NameX = "Form Design"
CurrBar.Visible = False
```

```
'---Bar 5 -----
```

```
Set CurrBar = AppointmentBars.Add
CurrBar.Namex = "Response"
CurrBar.Visible = False
'---Bar 6 -----
Set CurrBar = AppointmentBars.Add
CurrBar.Namex = "Formatting"
CurrBar.Visible = False
```

End Sub

Public Sub SetAppointmentBarsInfo_old()

Dim CurrBar As ClassCmdBar

Dim currCTL As ClassCmdControl

'---Bar 1 -----

```
Set CurrBar = AppointmentBars.Add
CurrBar.Namex = "Clipboard"
CurrBar.Visible = False
```

'---Bar 2 -----

```
Set CurrBar = AppointmentBars.Add
CurrBar.Namex = "Menu Bar"
CurrBar.Visible = True
```

'--- 1 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30131
currCTL.Index = 1
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 2 -----



```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30122
currCTL.Index = 2
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 3 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30130
currCTL.Index = 3
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 4 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30127
currCTL.Index = 4
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
```

currCTL.Style = 0

'--- 5 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30002

currCTL.Index = 5

currCTL.Caption = "&File"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 6 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30003

currCTL.Index = 6

currCTL.Caption = "&Edit"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 7 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30004

currCTL.Index = 7

currCTL.Caption = "&View"

currCTL.DescriptionText = ""


```
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 8 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30005
currCTL.Index = 8
currCTL.Caption = "&Insert"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 9 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30006
currCTL.Index = 9
currCTL.Caption = "F&ormat"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 10 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30007
```

```
currCTL.Index = 10
currCTL.Caption = "&Tools"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 11 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30145
currCTL.Index = 11
currCTL.Caption = "Fo&rm"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 12 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30146
currCTL.Index = 12
currCTL.Caption = "&Layout"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 13 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30010
currCTL.Index = 13
currCTL.Caption = "Microsoft Help "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 14 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1576
currCTL.Index = 14
currCTL.Caption = "Useful Help"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 59
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 15 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1665
currCTL.Index = 15
currCTL.Caption = "Make New Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1665
currCTL.ShortcutText = ""
```

currCTL.Style = 3

'--- 16 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1758
currCTL.Index = 16
currCTL.Caption = "New Id  a"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1758
currCTL.ShortcutText = "Ctrl+Shift+N"
currCTL.Style = 3
```

'--- 17 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 354
currCTL.Index = 17
currCTL.Caption = "Deal With It Now"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2151
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3
```

'--- 18 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1679
currCTL.Index = 18
currCTL.Caption = "Decide What To Do With It"
currCTL.DescriptionText = ""
```

currCTL.BuiltInFace = False
currCTL.FaceId = 49
currCTL.ShortcutText = "Ctrl+Shift+V"
currCTL.Style = 3

'--- 19 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1976
currCTL.Index = 19
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 20 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 356
currCTL.Index = 20
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3

'--- 21 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 478

```
currCTL.Index = 21
currCTL.Caption = "Ditch It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 67
currCTL.ShortcutText = "Ctrl+D"
currCTL.Style = 3
```

```
'---Bar 3 -----
```

```
Set CurrBar = AppointmentBars.Add
CurrBar.Nameex = "Standard"
CurrBar.Visible = True
```

```
'--- 1 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 2011
currCTL.Index = 1
currCTL.Caption = "Close Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 2011
currCTL.ShortcutText = "Alt+F4"
currCTL.Style = 2
```

```
'--- 2 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1975
currCTL.Index = 2
currCTL.Caption = "Save and Close "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 271
```

```
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 3 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1975  
currCTL.Index = 3  
currCTL.Caption = "Save and Close"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 271  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 4 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30005  
currCTL.Index = 4  
currCTL.Caption = "Get Resources"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 5 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 5604  
currCTL.Index = 5  
currCTL.Caption = "Edit this Mail"
```

currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 31
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 6 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 109
currCTL.Index = 6
currCTL.Caption = "Print Now"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2144
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 7 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1978
currCTL.Index = 7
currCTL.Caption = "Craft eMail"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1978
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 8 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1


```
currCTL.ID = 5681
currCTL.Index = 8
currCTL.Caption = "Start &NetMeeting"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 5681
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 9 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5618
currCTL.Index = 9
currCTL.Caption = "Join &NetMeeting"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 5618
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 10 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5417
currCTL.Index = 10
currCTL.Caption = "View &NetShow"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 5417
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 11 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 5596
currCTL.Index = 11
currCTL.Caption = "Join &Conference"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 5596
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 353
currCTL.Index = 12
currCTL.Caption = "Include Others...."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = "Ctrl+Shift+B"
currCTL.Style = 3
```

'--- 13 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 2617
currCTL.Index = 13
currCTL.Caption = "&Send"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 2617
```

currCTL.ShortcutText = "Ctrl+Enter"
currCTL.Style = 3

'--- 14 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2004
currCTL.Index = 14
currCTL.Caption = "Cancel Delegation "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 15 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 354
currCTL.Index = 15
currCTL.Caption = "Reply"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 354
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3

'--- 16 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 355
currCTL.Index = 16
currCTL.Caption = "Reply to A&I"

currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 355
currCTL.ShortcutText = "Ctrl+Shift+R"
currCTL.Style = 3

'--- 17 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 356
currCTL.Index = 17
currCTL.Caption = "Forward"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 356
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3

'--- 18 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1977
currCTL.Index = 18
currCTL.Caption = "Recurring Task"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3

'--- 19 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1

```
currCTL.ID = 2985
currCTL.Index = 19
currCTL.Caption = "Mark This Task Complete"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 2985
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 20 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1760
currCTL.Index = 20
currCTL.Caption = "Send Task Status Update"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1760
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 21 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5433
currCTL.Index = 21
currCTL.Caption = "New Appointment"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2148
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 22 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1979
currCTL.Index = 22
currCTL.Caption = "New Task"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1979
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 23 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 360
currCTL.Index = 23
currCTL.Caption = "Next Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 360
currCTL.ShortcutText = "Ctrl+>"
currCTL.Style = 3
```

'--- 24 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 359
currCTL.Index = 24
currCTL.Caption = "Previous Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 359
```

currCTL.ShortcutText = "Ctrl+<"
currCTL.Style = 3

'--- 25 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5571
currCTL.Index = 25
currCTL.Caption = "&Font Size"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 5571
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 26 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1977
currCTL.Index = 26
currCTL.Caption = "Recurring Event"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3

'--- 27 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1987
currCTL.Index = 27
currCTL.Caption = "Check Diary"

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1987  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 28 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1086  
currCTL.Index = 28  
currCTL.Caption = "I&nvite Attendees..."  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1086  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 29 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 2  
currCTL.Index = 29  
currCTL.Caption = "Spell Check"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 2  
currCTL.ShortcutText = "F7"  
currCTL.Style = 3
```

```
'--- 30 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 12
```



```
currCTL.ID = 2611
currCTL.Index = 30
currCTL.Caption = "&Font Color"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 31 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 19
currCTL.Index = 31
currCTL.Caption = "Copy"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 19
currCTL.ShortcutText = "Ctrl+C"
currCTL.Style = 0
```

```
'--- 32 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 22
currCTL.Index = 32
currCTL.Caption = "Paste"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 22
currCTL.ShortcutText = "Ctrl+V"
currCTL.Style = 0
```

'--- 33 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 128
currCTL.Index = 33
currCTL.Caption = "&Undo"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 128
currCTL.ShortcutText = "Ctrl+Z"
currCTL.Style = 0
```

'--- 34 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5573
currCTL.Index = 34
currCTL.Caption = "Forward this Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 39
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 35 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 777
currCTL.Index = 35
currCTL.Caption = "Fi&le..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 777
```

```
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 36 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1714  
currCTL.Index = 36  
currCTL.Caption = "&Document Map"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceID = 1714  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'---Bar 4 -----
```

```
Set CurrBar = AppointmentBars.Add  
CurrBar.NameX = "Form Design"  
CurrBar.Visible = False
```

```
'---Bar 5 -----
```

```
Set CurrBar = AppointmentBars.Add  
CurrBar.NameX = "Response"  
CurrBar.Visible = False
```

```
'---Bar 6 -----
```

```
Set CurrBar = AppointmentBars.Add  
CurrBar.NameX = "Formatting"  
CurrBar.Visible = False
```

```
End Sub
```

```
Public Sub SetContactBarsInfo_Old()  
Dim CurrBar As ClassCmdBar  
Dim currCTL As ClassCmdControl
```

'---Bar 1 -----

Set CurrBar = ContactBars.Add

CurrBar.NameX = "Clipboard"

CurrBar.Visible = False

'---Bar 2 -----

Set CurrBar = ContactBars.Add

CurrBar.NameX = "Menu Bar"

CurrBar.Visible = True

'--- 1 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30131

currCTL.Index = 1

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 2 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30122

currCTL.Index = 2

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 3 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30130
currCTL.Index = 3
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 4 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30127
currCTL.Index = 4
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 5 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30002
currCTL.Index = 5
currCTL.Caption = "&File"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
```

currCTL.Style = 0

'--- 6 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30003

currCTL.Index = 6

currCTL.Caption = "&Edit"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 7 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30004

currCTL.Index = 7

currCTL.Caption = "&View"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 8 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30005

currCTL.Index = 8

currCTL.Caption = "&Insert"

currCTL.DescriptionText = ""

```
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 9 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30006
currCTL.Index = 9
currCTL.Caption = "F&ormat"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 10 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30007
currCTL.Index = 10
currCTL.Caption = "&Tools"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 11 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30145
```

```
currCTL.Index = 11
currCTL.Caption = "Fo&rm"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30146
currCTL.Index = 12
currCTL.Caption = "&Layout"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 13 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30010
currCTL.Index = 13
currCTL.Caption = "Microsoft Help "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 14 -----


```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1576
currCTL.Index = 14
currCTL.Caption = "Useful Help"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 59
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 15 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1665
currCTL.Index = 15
currCTL.Caption = "Make New Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1665
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 16 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1758
currCTL.Index = 16
currCTL.Caption = "New Idea"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1758
currCTL.ShortcutText = "Ctrl+Shift+N"
```

currCTL.Style = 3

'--- 17 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 354
currCTL.Index = 17
currCTL.Caption = "Deal With It Now"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 2151
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3
```

'--- 18 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1679
currCTL.Index = 18
currCTL.Caption = "Decide What To Do With It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 49
currCTL.ShortcutText = "Ctrl+Shift+V"
currCTL.Style = 3
```

'--- 19 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1976
currCTL.Index = 19
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
```

```
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 20 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 356
currCTL.Index = 20
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```

```
'--- 21 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 478
currCTL.Index = 21
currCTL.Caption = "Ditch It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 67
currCTL.ShortcutText = "Ctrl+D"
currCTL.Style = 3
```

```
'---Bar 3 -----
```

```
Set CurrBar = ContactBars.Add
CurrBar.NameX = "Standard"
CurrBar.Visible = True
```

'--- 1 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2011
currCTL.Index = 1
currCTL.Caption = "Close Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 2011
currCTL.ShortcutText = "Alt+F4"
currCTL.Style = 2
```

'--- 2 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1975
currCTL.Index = 2
currCTL.Caption = "Save and Close "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 271
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 3 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1975
currCTL.Index = 3
currCTL.Caption = "Save and Close"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 271
```

currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 4 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30005
currCTL.Index = 4
currCTL.Caption = "Get Resources"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 5 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5604
currCTL.Index = 5
currCTL.Caption = "Edit this Mail"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 31
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 6 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 109
currCTL.Index = 6
currCTL.Caption = "Print Now"

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2144  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 7 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1978  
currCTL.Index = 7  
currCTL.Caption = "Craft eMail"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1978  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 8 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 353  
currCTL.Index = 8  
currCTL.Caption = "Include Others...."  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = "Ctrl+Shift+B"  
currCTL.Style = 3
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1
```

```
currCTL.ID = 2617
currCTL.Index = 9
currCTL.Caption = "&Send"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 2617
currCTL.ShortcutText = "Ctrl+Enter"
currCTL.Style = 3
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2004
currCTL.Index = 10
currCTL.Caption = "Cancel Delegation "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 11 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 354
currCTL.Index = 11
currCTL.Caption = "Reply"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 354
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3
```

'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 355
currCTL.Index = 12
currCTL.Caption = "Reply to A&I"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 355
currCTL.ShortcutText = "Ctrl+Shift+R"
currCTL.Style = 3
```

'--- 13 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 356
currCTL.Index = 13
currCTL.Caption = "Forward"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 356
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```

'--- 14 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1977
currCTL.Index = 14
currCTL.Caption = "Recurring Task"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1977
```


currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3

'--- 15 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2985
currCTL.Index = 15
currCTL.Caption = "Mark This Task Complete"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 2985
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 16 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1760
currCTL.Index = 16
currCTL.Caption = "Send Task Status Update"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1760
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 17 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5433
currCTL.Index = 17
currCTL.Caption = "New Appointment"

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2148  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 18 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1979  
currCTL.Index = 18  
currCTL.Caption = "New Task"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1979  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 19 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 360  
currCTL.Index = 19  
currCTL.Caption = "Next Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 360  
currCTL.ShortcutText = "Ctrl+>"  
currCTL.Style = 3
```

```
'--- 20 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1
```

```
currCTL.ID = 359
currCTL.Index = 20
currCTL.Caption = "Previous Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 359
currCTL.ShortcutText = "Ctrl+<"
currCTL.Style = 3
```

```
'--- 21 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5571
currCTL.Index = 21
currCTL.Caption = "&Font Size"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 5571
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 22 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1977
currCTL.Index = 22
currCTL.Caption = "Recurring Event"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3
```

'--- 23 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1987
currCTL.Index = 23
currCTL.Caption = "Check Diary"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1987
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 24 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1086
currCTL.Index = 24
currCTL.Caption = "I&nvite Attendees..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1086
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 25 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 2
currCTL.Index = 25
currCTL.Caption = "Spell Check"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 2
```

currCTL.ShortcutText = "F7"
currCTL.Style = 3

'--- 26 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 12
currCTL.ID = 2611
currCTL.Index = 26
currCTL.Caption = "&Font Color"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 27 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 19
currCTL.Index = 27
currCTL.Caption = "Copy"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 19
currCTL.ShortcutText = "Ctrl+C"
currCTL.Style = 0

'--- 28 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 22
currCTL.Index = 28
currCTL.Caption = "Paste"

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 22  
currCTL.ShortcutText = "Ctrl+V"  
currCTL.Style = 0
```

```
'--- 29 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 128  
currCTL.Index = 29  
currCTL.Caption = "&Undo"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 128  
currCTL.ShortcutText = "Ctrl+Z"  
currCTL.Style = 0
```

```
'--- 30 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 5573  
currCTL.Index = 30  
currCTL.Caption = "Forward this Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 39  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 31 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1
```

```
currCTL.ID = 777
currCTL.Index = 31
currCTL.Caption = "Fi&le..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 777
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 32 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1714
currCTL.Index = 32
currCTL.Caption = "&Document Map"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1714
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'---Bar 4 -----
```

```
Set CurrBar = ContactBars.Add
CurrBar.NameX = "Form Design"
CurrBar.Visible = False
```

```
'---Bar 5 -----
```

```
Set CurrBar = ContactBars.Add
CurrBar.NameX = "Response"
CurrBar.Visible = False
```

```
'---Bar 6 -----
```

```
Set CurrBar = ContactBars.Add
CurrBar.NameX = "Formatting"
CurrBar.Visible = False
```

End Sub

Public Sub SetContactBarsInfo()

Dim CurrBar As ClassCmdBar

Dim currCTL As ClassCmdControl

'---Bar 1 -----

Set CurrBar = ContactBars.Add

CurrBar.Name = "Clipboard"

CurrBar.Visible = False

'---Bar 2 -----

Set CurrBar = ContactBars.Add

CurrBar.Name = "Menu Bar"

CurrBar.Visible = True

'--- 1 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30131

currCTL.Index = 1

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 2 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30122

currCTL.Index = 2

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 3 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30130
currCTL.Index = 3
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 4 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30127
currCTL.Index = 4
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 5 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30002

```
currCTL.Index = 5
currCTL.Caption = "&File"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 6 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30003
currCTL.Index = 6
currCTL.Caption = "&Edit"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 7 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30004
currCTL.Index = 7
currCTL.Caption = "&View"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 8 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30005
currCTL.Index = 8
currCTL.Caption = "&Insert"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30006
currCTL.Index = 9
currCTL.Caption = "F&ormat"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30007
currCTL.Index = 10
currCTL.Caption = "&Tools"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
```

currCTL.Style = 0

```
'--- 11 -----  
' Set currCTL = CurrBar.Controls.Add  
' currCTL.Typeex = 10  
' currCTL.ID = 30145  
' currCTL.Index = 11  
' currCTL.Caption = "Fo&rm"  
' currCTL.DescriptionText = ""  
' currCTL.BuiltInFace = False  
' currCTL.FaceId = 0  
' currCTL.ShortcutText = ""  
' currCTL.Style = 0  
'
```

```
'--- 12 -----  
' Set currCTL = CurrBar.Controls.Add  
' currCTL.Typeex = 10  
' currCTL.ID = 30146  
' currCTL.Index = 12  
' currCTL.Caption = "&Layout"  
' currCTL.DescriptionText = ""  
' currCTL.BuiltInFace = False  
' currCTL.FaceId = 0  
' currCTL.ShortcutText = ""  
' currCTL.Style = 0
```

```
'--- 13 -----  
Set currCTL = CurrBar.Controls.Add  
currCTL.Typeex = 10  
currCTL.ID = 30010  
currCTL.Index = 13  
currCTL.Caption = "Microsoft Help "  
currCTL.DescriptionText = ""
```

```
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 14 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1576  
currCTL.Index = 14  
currCTL.Caption = "Useful Help"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 59  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 15 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1665  
currCTL.Index = 15  
currCTL.Caption = "Make New Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1665  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 16 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1758
```

```
currCTL.Index = 16
currCTL.Caption = "New Idea"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1758
currCTL.ShortcutText = "Ctrl+Shift+N"
currCTL.Style = 3
```

'--- 17 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 354
currCTL.Index = 17
currCTL.Caption = "Deal With It Now"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2151
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3
```

'--- 18 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1679
currCTL.Index = 18
currCTL.Caption = "Decide What To Do With It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 49
currCTL.ShortcutText = "Ctrl+Shift+V"
currCTL.Style = 3
```

'--- 19 -----

Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1976
currCTL.Index = 19
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 2141
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 20 -----

Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 356
currCTL.Index = 20
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 2141
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3

'--- 21 -----

Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 478
currCTL.Index = 21
currCTL.Caption = "Ditch It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 67
currCTL.ShortcutText = "Ctrl+D"

currCTL.Style = 3

'---Bar 3 -----

Set CurrBar = ContactBars.Add

CurrBar.Namex = "Standard"

CurrBar.Visible = True

'--- 1 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 2011

currCTL.Index = 1

currCTL.Caption = "Close Item"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = True

currCTL.FaceID = 2011

currCTL.ShortcutText = "Alt+F4"

currCTL.Style = 2

'--- 2 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 1975

currCTL.Index = 2

currCTL.Caption = "Save and Close "

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 271

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 3 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10


```
currCTL.ID = 30005
currCTL.Index = 3
currCTL.Caption = "Get Resources"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 4 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 109
currCTL.Index = 4
currCTL.Caption = "Print Now"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2144
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 5 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1978
currCTL.Index = 5
currCTL.Caption = "Craft eMail"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1978
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 6 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5433
currCTL.Index = 6
currCTL.Caption = "New Appointment"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 2148
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 7 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1979
currCTL.Index = 7
currCTL.Caption = "New Task"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1979
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 8 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 360
currCTL.Index = 8
currCTL.Caption = "Next Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 360
```

```
currCTL.ShortcutText = "Ctrl+>"  
currCTL.Style = 3
```

```
'--- 9 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 359  
currCTL.Index = 9  
currCTL.Caption = "Previous Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceID = 359  
currCTL.ShortcutText = "Ctrl+<"  
currCTL.Style = 3
```

```
'--- 10 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 2  
currCTL.Index = 10  
currCTL.Caption = "Spell Check"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceID = 2  
currCTL.ShortcutText = "F7"  
currCTL.Style = 3
```

```
'--- 11 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 12  
currCTL.ID = 2611  
currCTL.Index = 11  
currCTL.Caption = "&Font Color"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 12 -----'

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 19  
currCTL.Index = 12  
currCTL.Caption = "Copy"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 19  
currCTL.ShortcutText = "Ctrl+C"  
currCTL.Style = 0
```

'--- 13 -----'

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 22  
currCTL.Index = 13  
currCTL.Caption = "Paste"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 22  
currCTL.ShortcutText = "Ctrl+V"  
currCTL.Style = 0
```

'--- 14 -----'

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1
```

```
currCTL.ID = 128
currCTL.Index = 14
currCTL.Caption = "&Undo"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 128
currCTL.ShortcutText = "Ctrl+Z"
currCTL.Style = 0
```

```
'--- 15 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5573
currCTL.Index = 15
currCTL.Caption = "Forward this Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 39
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 16 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 777
currCTL.Index = 16
currCTL.Caption = "Fi&le..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 777
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 17 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1714
currCTL.Index = 17
currCTL.Caption = "&Document Map"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1714
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'---Bar 4 -----

```
Set CurrBar = ContactBars.Add
CurrBar.Name = "Form Design"
CurrBar.Visible = False
```

'---Bar 5 -----

```
Set CurrBar = ContactBars.Add
CurrBar.Name = "Response"
CurrBar.Visible = False
```

'---Bar 6 -----

```
Set CurrBar = ContactBars.Add
CurrBar.Name = "Formatting"
CurrBar.Visible = False
```

End Sub

Sub SetCtlIndexInfo()

```
ItemMainBarIndexArray(1) = 30131
ItemMainBarIndexArray(2) = 30122
ItemMainBarIndexArray(3) = 30130
ItemMainBarIndexArray(4) = 30127
```

ItemMainBarIndexArray(5) = 30002
ItemMainBarIndexArray(6) = 30003
ItemMainBarIndexArray(7) = 30004
ItemMainBarIndexArray(8) = 30005
ItemMainBarIndexArray(9) = 30006
ItemMainBarIndexArray(10) = 30007
' ItemMainBarIndexArray(11) = 30145
' ItemMainBarIndexArray(12) = 30146
' ItemMainBarIndexArray(13) = 30010
' ItemMainBarIndexArray(14) = 1576
' ItemMainBarIndexArray(15) = 1665
' ItemMainBarIndexArray(16) = 1758
' ItemMainBarIndexArray(17) = 354
' ItemMainBarIndexArray(18) = 1679
' ItemMainBarIndexArray(19) = 1976
' ItemMainBarIndexArray(20) = 356
' ItemMainBarIndexArray(21) = 478

ItemMainBarIndexArray(11) = 30010
ItemMainBarIndexArray(12) = 1576
ItemMainBarIndexArray(13) = 1665
ItemMainBarIndexArray(14) = 1758
ItemMainBarIndexArray(15) = 354
ItemMainBarIndexArray(16) = 1679
ItemMainBarIndexArray(17) = 1976
ItemMainBarIndexArray(18) = 356
ItemMainBarIndexArray(19) = 478

ItemStdBarIndexArray(1) = 2011
ItemStdBarIndexArray(2) = 1975
ItemStdBarIndexArray(3) = 30005
ItemStdBarIndexArray(4) = 5604

ItemStdBarIndexArray(5) = 109
ItemStdBarIndexArray(6) = 1978
ItemStdBarIndexArray(7) = 353
ItemStdBarIndexArray(8) = 2617
ItemStdBarIndexArray(9) = 2004
ItemStdBarIndexArray(10) = 354
ItemStdBarIndexArray(11) = 355
ItemStdBarIndexArray(12) = 356
ItemStdBarIndexArray(13) = 1977
ItemStdBarIndexArray(14) = 2985
ItemStdBarIndexArray(15) = 1760
ItemStdBarIndexArray(16) = 5433
ItemStdBarIndexArray(17) = 1979
ItemStdBarIndexArray(18) = 360
ItemStdBarIndexArray(19) = 359
ItemStdBarIndexArray(20) = 5571
ItemStdBarIndexArray(21) = 1977
ItemStdBarIndexArray(22) = 1987
ItemStdBarIndexArray(23) = 1086
ItemStdBarIndexArray(24) = 2
ItemStdBarIndexArray(25) = 2611
ItemStdBarIndexArray(26) = 19
ItemStdBarIndexArray(27) = 22
ItemStdBarIndexArray(28) = 128
ItemStdBarIndexArray(29) = 5573
ItemStdBarIndexArray(30) = 777
ItemStdBarIndexArray(31) = 1714

End Sub

Public Sub SetMailBarsInfo_old()

Dim CurrBar As ClassCmdBar


```
Dim currCTL As ClassCmdControl
```

```
'---Bar 1 -----
```

```
Set CurrBar = ReadBars.Add
```

```
CurrBar.Namex = "Clipboard"
```

```
CurrBar.Visible = False
```

```
'---Bar 2 -----
```

```
Set CurrBar = ReadBars.Add
```

```
CurrBar.Namex = "Menu Bar"
```

```
CurrBar.Visible = True
```

```
'--- 1 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.Typeex = 10
```

```
currCTL.ID = 30131
```

```
currCTL.Index = 1
```

```
currCTL.Caption = "Unlocking OUTLOOK"
```

```
currCTL.DescriptionText = ""
```

```
currCTL.BuiltInFace = False
```

```
currCTL.FaceId = 0
```

```
currCTL.ShortcutText = ""
```

```
currCTL.Style = 0
```

```
'--- 2 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.Typeex = 10
```

```
currCTL.ID = 30122
```

```
currCTL.Index = 2
```

```
currCTL.Caption = "Unlocking OUTLOOK"
```

```
currCTL.DescriptionText = ""
```

```
currCTL.BuiltInFace = False
```

```
currCTL.FaceId = 0
```

```
currCTL.ShortcutText = ""
```

```
currCTL.Style = 0
```

'--- 3 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30130
currCTL.Index = 3
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 4 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30127
currCTL.Index = 4
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 5 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30002
currCTL.Index = 5
currCTL.Caption = "&File"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
```

```
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 6 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30003  
currCTL.Index = 6  
currCTL.Caption = "&Edit"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 7 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30004  
currCTL.Index = 7  
currCTL.Caption = "&View"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 8 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30005  
currCTL.Index = 8  
currCTL.Caption = "&Insert"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30006  
currCTL.Index = 9  
currCTL.Caption = "F&ormat"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30007  
currCTL.Index = 10  
currCTL.Caption = "&Tools"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 11 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10
```

```
currCTL.ID = 30145
currCTL.Index = 11
currCTL.Caption = "Fo&rm"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30146
currCTL.Index = 12
currCTL.Caption = "&Layout"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 13 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30010
currCTL.Index = 13
currCTL.Caption = "Microsoft Help "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 14 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1576
currCTL.Index = 14
currCTL.Caption = "Useful Help"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 59
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 15 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1665
currCTL.Index = 15
currCTL.Caption = "Make New Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1665
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 16 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1758
currCTL.Index = 16
currCTL.Caption = "New Idea"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1758
```

```
currCTL.ShortcutText = "Ctrl+Shift+N"  
currCTL.Style = 3
```

```
'--- 17 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 1  
currCTL.ID = 354  
currCTL.Index = 17  
currCTL.Caption = "Deal With It Now"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 2151  
currCTL.ShortcutText = "Ctrl+R"  
currCTL.Style = 3
```

```
'--- 18 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 1  
currCTL.ID = 1679  
currCTL.Index = 18  
currCTL.Caption = "Decide What To Do With It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 49  
currCTL.ShortcutText = "Ctrl+Shift+V"  
currCTL.Style = 3
```

```
'--- 19 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 1  
currCTL.ID = 1976  
currCTL.Index = 19  
currCTL.Caption = "Delegate It"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2141  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 20 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 356  
currCTL.Index = 20  
currCTL.Caption = "Delegate It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2141  
currCTL.ShortcutText = "Ctrl+F"  
currCTL.Style = 3
```

```
'--- 21 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 478  
currCTL.Index = 21  
currCTL.Caption = "Ditch It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 67  
currCTL.ShortcutText = "Ctrl+D"  
currCTL.Style = 3
```

```
'---Bar 3 -----
```

```
Set CurrBar = ReadBars.Add  
CurrBar.NameX = "Standard"
```


CurrBar.Visible = True

'--- 1 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 1

currCTL.ID = 2011

currCTL.Index = 1

currCTL.Caption = "Close Item"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = True

currCTL.FaceID = 2011

currCTL.ShortcutText = "Alt+F4"

currCTL.Style = 2

'--- 2 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 1

currCTL.ID = 1975

currCTL.Index = 2

currCTL.Caption = "Save and Close "

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 271

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 3 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 1

currCTL.ID = 1975

currCTL.Index = 3

currCTL.Caption = "Save and Close"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceId = 271
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 4 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30005
currCTL.Index = 4
currCTL.Caption = "Get Resources"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 5 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5604
currCTL.Index = 5
currCTL.Caption = "Edit this Mail"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 31
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 6 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 109
currCTL.Index = 6

```
currCTL.Caption = "Print Now"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2144  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 7 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1978  
currCTL.Index = 7  
currCTL.Caption = "Craft eMail"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1978  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 8 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 353  
currCTL.Index = 8  
currCTL.Caption = "Include Others...."  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = "Ctrl+Shift+B"  
currCTL.Style = 3
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 2617
currCTL.Index = 9
currCTL.Caption = "&Send"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 2617
currCTL.ShortcutText = "Ctrl+Enter"
currCTL.Style = 3
```

```
'--- 10 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2004
currCTL.Index = 10
currCTL.Caption = "Cancel Delegation "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 11 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 354
currCTL.Index = 11
currCTL.Caption = "Reply"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 354
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3
```

'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 355
currCTL.Index = 12
currCTL.Caption = "Reply to A&ll"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 355
currCTL.ShortcutText = "Ctrl+Shift+R"
currCTL.Style = 3
```

'--- 13 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 356
currCTL.Index = 13
currCTL.Caption = "Forward"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 356
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```

'--- 14 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1977
currCTL.Index = 14
currCTL.Caption = "Recurring Task"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
```

currCTL.FaceId = 1977

currCTL.ShortcutText = "Ctrl+G"

currCTL.Style = 3

'--- 15 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 2985

currCTL.Index = 15

currCTL.Caption = "Mark This Task Complete"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = True

currCTL.FaceId = 2985

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 16 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 1760

currCTL.Index = 16

currCTL.Caption = "Send Task Status Update"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = True

currCTL.FaceId = 1760

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 17 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 1

currCTL.ID = 5433

currCTL.Index = 17

```
currCTL.Caption = "New Appointment"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2148  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 18 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1979  
currCTL.Index = 18  
currCTL.Caption = "New Task"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1979  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 19 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 360  
currCTL.Index = 19  
currCTL.Caption = "Next Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 360  
currCTL.ShortcutText = "Ctrl+>"  
currCTL.Style = 3
```

'--- 20 -----

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 359
currCTL.Index = 20
currCTL.Caption = "Previous Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 359
currCTL.ShortcutText = "Ctrl+<"
currCTL.Style = 3
```

```
'--- 21 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5571
currCTL.Index = 21
currCTL.Caption = "&Font Size"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 5571
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 22 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1977
currCTL.Index = 22
currCTL.Caption = "Recurring Event"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3
```


'--- 23 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1987  
currCTL.Index = 23  
currCTL.Caption = "Check Diary"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceID = 1987  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 24 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1086  
currCTL.Index = 24  
currCTL.Caption = "I&nvite Attendees..."  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceID = 1086  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 25 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 2  
currCTL.Index = 25  
currCTL.Caption = "Spell Check"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True
```

```
currCTL.FaceId = 2  
currCTL.ShortcutText = "F7"  
currCTL.Style = 3
```

```
'--- 26 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 12  
currCTL.ID = 2611  
currCTL.Index = 26  
currCTL.Caption = "&Font Color"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 27 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 19  
currCTL.Index = 27  
currCTL.Caption = "Copy"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 19  
currCTL.ShortcutText = "Ctrl+C"  
currCTL.Style = 0
```

```
'--- 28 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 22  
currCTL.Index = 28
```

```
currCTL.Caption = "Paste"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 22  
currCTL.ShortcutText = "Ctrl+V"  
currCTL.Style = 0
```

```
'--- 29 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 128  
currCTL.Index = 29  
currCTL.Caption = "&Undo"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 128  
currCTL.ShortcutText = "Ctrl+Z"  
currCTL.Style = 0
```

```
'--- 30 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 5573  
currCTL.Index = 30  
currCTL.Caption = "Forward this Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 39  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 31 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 777
currCTL.Index = 31
currCTL.Caption = "Fi&le..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 777
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 32 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1714
currCTL.Index = 32
currCTL.Caption = "&Document Map"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1714
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'---Bar 4 -----
```

```
Set CurrBar = ReadBars.Add
CurrBar.NameX = "Form Design"
CurrBar.Visible = False
```

```
'---Bar 5 -----
```

```
Set CurrBar = ReadBars.Add
CurrBar.NameX = "Response"
CurrBar.Visible = False
```

```
'---Bar 6 -----
```

```
Set CurrBar = ReadBars.Add
CurrBar.NameX = "Formatting"
```

CurrBar.Visible = False

'---Bar 7 -----

Set CurrBar = ReadBars.Add

CurrBar.Namex = "Clipboard"

CurrBar.Visible = False

'---Bar 8 -----

Set CurrBar = ReadBars.Add

CurrBar.Namex = "Menu Bar"

CurrBar.Visible = True

'--- 1 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30131

currCTL.Index = 1

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 2 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30122

currCTL.Index = 2

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 3 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 10
currCTL.ID = 30130
currCTL.Index = 3
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 4 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 10
currCTL.ID = 30127
currCTL.Index = 4
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 5 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 10
currCTL.ID = 30002
currCTL.Index = 5
currCTL.Caption = "&File"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
```

```
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 6 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30003  
currCTL.Index = 6  
currCTL.Caption = "&Edit"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 7 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30004  
currCTL.Index = 7  
currCTL.Caption = "&View"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 8 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30005  
currCTL.Index = 8  
currCTL.Caption = "&Insert"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 9 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30006  
currCTL.Index = 9  
currCTL.Caption = "F&ormat"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 10 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30007  
currCTL.Index = 10  
currCTL.Caption = "&Tools"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 11 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10
```



```
currCTL.ID = 30145
currCTL.Index = 11
currCTL.Caption = "Fo&rm"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30146
currCTL.Index = 12
currCTL.Caption = "&Layout"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 13 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30010
currCTL.Index = 13
currCTL.Caption = "Microsoft Help "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 14 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1576
currCTL.Index = 14
currCTL.Caption = "Useful Help"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 59
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 15 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1665
currCTL.Index = 15
currCTL.Caption = "Make New Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1665
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 16 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1758
currCTL.Index = 16
currCTL.Caption = "New Idea"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1758
```

```
currCTL.ShortcutText = "Ctrl+Shift+N"  
currCTL.Style = 3
```

```
'--- 17 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 354  
currCTL.Index = 17  
currCTL.Caption = "Deal With It Now"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = "Ctrl+R"  
currCTL.Style = 3
```

```
'--- 18 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1679  
currCTL.Index = 18  
currCTL.Caption = "Decide What To Do With It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 49  
currCTL.ShortcutText = "Ctrl+Shift+V"  
currCTL.Style = 3
```

```
'--- 19 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1976  
currCTL.Index = 19  
currCTL.Caption = "Delegate It"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 20 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 356  
currCTL.Index = 20  
currCTL.Caption = "Delegate It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = "Ctrl+F"  
currCTL.Style = 3
```

```
'--- 21 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 478  
currCTL.Index = 21  
currCTL.Caption = "Ditch It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = "Ctrl+D"  
currCTL.Style = 3
```

```
'---Bar 9 -----
```

```
Set CurrBar = ReadBars.Add  
CurrBar.NameX = "Standard"
```

CurrBar.Visible = True

'--- 1 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 1

currCTL.ID = 2011

currCTL.Index = 1

currCTL.Caption = "Close Item"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = True

currCTL.FaceID = 2011

currCTL.ShortcutText = "Alt+F4"

currCTL.Style = 2

'--- 2 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 1

currCTL.ID = 1975

currCTL.Index = 2

currCTL.Caption = "Save and Close "

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 271

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 3 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 1

currCTL.ID = 1975

currCTL.Index = 3

currCTL.Caption = "Save and Close"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

```
currCTL.FaceId = 271
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 4 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30005
currCTL.Index = 4
currCTL.Caption = "Get Resources"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 5 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5604
currCTL.Index = 5
currCTL.Caption = "Edit this Mail"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 31
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 6 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 109
currCTL.Index = 6
```

```
currCTL.Caption = "Print Now"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2144  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 7 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1978  
currCTL.Index = 7  
currCTL.Caption = "Craft eMail"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1978  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 8 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 353  
currCTL.Index = 8  
currCTL.Caption = "Include Others...."  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = "Ctrl+Shift+B"  
currCTL.Style = 3
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 2617
currCTL.Index = 9
currCTL.Caption = "&Send"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 2617
currCTL.ShortcutText = "Ctrl+Enter"
currCTL.Style = 3
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2004
currCTL.Index = 10
currCTL.Caption = "Cancel Delegation  "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 11 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 354
currCTL.Index = 11
currCTL.Caption = "Reply"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 354
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3
```


'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 355
currCTL.Index = 12
currCTL.Caption = "Reply to A&I"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 355
currCTL.ShortcutText = "Ctrl+Shift+R"
currCTL.Style = 3
```

'--- 13 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 356
currCTL.Index = 13
currCTL.Caption = "Forward"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 356
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```

'--- 14 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1977
currCTL.Index = 14
currCTL.Caption = "Recurring Task"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
```

currCTL.FaceId = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3

'--- 15 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2985
currCTL.Index = 15
currCTL.Caption = "Mark This Task Complete"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 2985
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 16 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1760
currCTL.Index = 16
currCTL.Caption = "Send Task Status Update"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1760
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 17 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5433
currCTL.Index = 17

```
currCTL.Caption = "New Appointment"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2148  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 18 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1979  
currCTL.Index = 18  
currCTL.Caption = "New Task"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1979  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 19 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 360  
currCTL.Index = 19  
currCTL.Caption = "Next Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 360  
currCTL.ShortcutText = "Ctrl+>"  
currCTL.Style = 3
```

'--- 20 -----

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 359
currCTL.Index = 20
currCTL.Caption = "Previous Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 359
currCTL.ShortcutText = "Ctrl+<"
currCTL.Style = 3
```

'--- 21 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5571
currCTL.Index = 21
currCTL.Caption = "&Font Size"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 5571
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 22 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1977
currCTL.Index = 22
currCTL.Caption = "Recurring Event"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3
```

'--- 23 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1987
currCTL.Index = 23
currCTL.Caption = "Check Diary"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1987
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 24 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1086
currCTL.Index = 24
currCTL.Caption = "Invite Attendees..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1086
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 25 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 2
currCTL.Index = 25
currCTL.Caption = "Spell Check"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
```

```
currCTL.FaceId = 2  
currCTL.ShortcutText = "F7"  
currCTL.Style = 3
```

```
'--- 26 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 12  
currCTL.ID = 2611  
currCTL.Index = 26  
currCTL.Caption = "&Font Color"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 27 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 19  
currCTL.Index = 27  
currCTL.Caption = "Copy"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 19  
currCTL.ShortcutText = "Ctrl+C"  
currCTL.Style = 0
```

```
'--- 28 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 22  
currCTL.Index = 28
```

```
currCTL.Caption = "Paste"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 22  
currCTL.ShortcutText = "Ctrl+V"  
currCTL.Style = 0
```

```
'--- 29 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 128  
currCTL.Index = 29  
currCTL.Caption = "&Undo"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 128  
currCTL.ShortcutText = "Ctrl+Z"  
currCTL.Style = 0
```

```
'--- 30 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 5573  
currCTL.Index = 30  
currCTL.Caption = "Forward this Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 39  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 31 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 777
currCTL.Index = 31
currCTL.Caption = "Fi&le..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 777
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 32 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1714
currCTL.Index = 32
currCTL.Caption = "&Document Map"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1714
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'---Bar 10 -----
```

```
Set CurrBar = ReadBars.Add
CurrBar.NameX = "Form Design"
CurrBar.Visible = False
```

```
'---Bar 11 -----
```

```
Set CurrBar = ReadBars.Add
CurrBar.NameX = "Response"
CurrBar.Visible = False
```

```
'---Bar 12 -----
```

```
Set CurrBar = ReadBars.Add
CurrBar.NameX = "Formatting"
```


CurrBar.Visible = False

End Sub

Public Sub SetMailBarsInfo()

Dim CurrBar As ClassCmdBar

Dim currCTL As ClassCmdControl

'---Bar 1 -----

Set CurrBar = ReadBars.Add

CurrBar.Namex = "Clipboard"

CurrBar.Visible = False

'---Bar 2 -----

Set CurrBar = ReadBars.Add

CurrBar.Namex = "Menu Bar"

CurrBar.Visible = True

'--- 1 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30131

currCTL.Index = 1

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 2 -----

Set currCTL = CurrBar.Controls.Add

currCTL.TypeX = 10

currCTL.ID = 30122

currCTL.Index = 2

currCTL.Caption = "Unlocking OUTLOOK"

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 3 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30130  
currCTL.Index = 3  
currCTL.Caption = "Unlocking OUTLOOK"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 4 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30127  
currCTL.Index = 4  
currCTL.Caption = "Unlocking OUTLOOK"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 5 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10
```

```
currCTL.ID = 30002
currCTL.Index = 5
currCTL.Caption = "&File"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 6 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30003
currCTL.Index = 6
currCTL.Caption = "&Edit"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 7 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30004
currCTL.Index = 7
currCTL.Caption = "&View"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 8 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30005
currCTL.Index = 8
currCTL.Caption = "&Insert"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30006
currCTL.Index = 9
currCTL.Caption = "F&ormat"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30007
currCTL.Index = 10
currCTL.Caption = "&Tools"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
```

currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 13 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30010
currCTL.Index = 13
currCTL.Caption = "Microsoft Help "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 14 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1576
currCTL.Index = 14
currCTL.Caption = "Useful Help"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 59
currCTL.ShortcutText = ""
currCTL.Style = 3

'--- 16 -----

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1758
currCTL.Index = 16
currCTL.Caption = "New Idea"

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1758  
currCTL.ShortcutText = "Ctrl+Shift+N"  
currCTL.Style = 3
```

'--- 17 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 354  
currCTL.Index = 17  
currCTL.Caption = "Deal With It Now"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2151  
currCTL.ShortcutText = "Ctrl+R"  
currCTL.Style = 3
```

'--- 18 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1679  
currCTL.Index = 18  
currCTL.Caption = "Decide What To Do With It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 49  
currCTL.ShortcutText = "Ctrl+Shift+V"  
currCTL.Style = 3
```

'--- 19 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1
```

```
currCTL.ID = 1976
currCTL.Index = 19
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 20 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 356
currCTL.Index = 20
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```

```
'--- 21 -----
```

```
' Set currCTL = CurrBar.Controls.Add
' currCTL.TypeX = 1
' currCTL.ID = 478
' currCTL.Index = 21
' currCTL.Caption = "Ditch It"
' currCTL.DescriptionText = ""
' currCTL.BuiltInFace = False
' currCTL.FaceId = 67
' currCTL.ShortcutText = "Ctrl+D"
' currCTL.Style = 3
```

'---Bar 3 -----

Set CurrBar = ReadBars.Add

CurrBar.Namex = "Standard"

CurrBar.Visible = True

'--- 1 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Typeex = 1

currCTL.ID = 2011

currCTL.Index = 1

currCTL.Caption = "Close Item"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = True

currCTL.FaceId = 2011

currCTL.ShortcutText = "Alt+F4"

currCTL.Style = 2

'--- 2 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Typeex = 1

currCTL.ID = 1975

currCTL.Index = 2

currCTL.Caption = "Save and Close "

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceId = 271

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 3 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Typeex = 10

currCTL.ID = 30005

currCTL.Index = 3


```
currCTL.Caption = "Get Resources"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 4 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 5604  
currCTL.Index = 4  
currCTL.Caption = "Edit this Mail"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 31  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 5 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 109  
currCTL.Index = 5  
currCTL.Caption = "Print Now"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2144  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 6 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 353
currCTL.Index = 6
currCTL.Caption = "Include Others...."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = "Ctrl+Shift+B"
currCTL.Style = 3
```

'--- 7 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2617
currCTL.Index = 7
currCTL.Caption = "&Send"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 2617
currCTL.ShortcutText = "Ctrl+Enter"
currCTL.Style = 3
```

'--- 8 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 354
currCTL.Index = 8
currCTL.Caption = "Reply"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 354
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 355
currCTL.Index = 9
currCTL.Caption = "Reply to A&I"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 355
currCTL.ShortcutText = "Ctrl+Shift+R"
currCTL.Style = 3
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 356
currCTL.Index = 10
currCTL.Caption = "Forward"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 356
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```

'--- 11 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 360
currCTL.Index = 11
currCTL.Caption = "Next Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
```

```
currCTL.FaceId = 360  
currCTL.ShortcutText = "Ctrl+>"  
currCTL.Style = 3
```

```
'--- 12 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 359  
currCTL.Index = 12  
currCTL.Caption = "Previous Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 359  
currCTL.ShortcutText = "Ctrl+<"  
currCTL.Style = 3
```

```
'--- 13 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 5571  
currCTL.Index = 13  
currCTL.Caption = "&Font Size"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 5571  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 14 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 2  
currCTL.Index = 14
```

```
currCTL.Caption = "Spell Check"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 2  
currCTL.ShortcutText = "F7"  
currCTL.Style = 3
```

```
'--- 15 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 12  
currCTL.ID = 2611  
currCTL.Index = 15  
currCTL.Caption = "&Font Color"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 16 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 19  
currCTL.Index = 16  
currCTL.Caption = "Copy"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 19  
currCTL.ShortcutText = "Ctrl+C"  
currCTL.Style = 0
```

```
'--- 17 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 22
currCTL.Index = 17
currCTL.Caption = "Paste"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 22
currCTL.ShortcutText = "Ctrl+V"
currCTL.Style = 0
```

```
'--- 18 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 128
currCTL.Index = 18
currCTL.Caption = "&Undo"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 128
currCTL.ShortcutText = "Ctrl+Z"
currCTL.Style = 0
```

```
'--- 19 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5573
currCTL.Index = 19
currCTL.Caption = "Forward this Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 39
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 20 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 777
currCTL.Index = 20
currCTL.Caption = "Fi&le..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 777
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 21 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1714
currCTL.Index = 21
currCTL.Caption = "&Document Map"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1714
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'---Bar 4 -----

```
Set CurrBar = ReadBars.Add
CurrBar.Nameex = "Form Design"
CurrBar.Visible = False
```

'---Bar 5 -----

```
Set CurrBar = ReadBars.Add
CurrBar.Nameex = "Response"
CurrBar.Visible = False
```

'---Bar 6 -----

```
Set CurrBar = ReadBars.Add
CurrBar.Namex = "Formatting"
CurrBar.Visible = False
```

'---Bar 7 -----

```
Set CurrBar = ReadBars.Add
CurrBar.Namex = "Clipboard"
CurrBar.Visible = False
```

'---Bar 8 -----

```
Set CurrBar = ReadBars.Add
CurrBar.Namex = "Menu Bar"
CurrBar.Visible = True
```

'--- 1 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30131
currCTL.Index = 1
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 2 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30122
currCTL.Index = 2
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
```


currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 3 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30130

currCTL.Index = 3

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 4 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30127

currCTL.Index = 4

currCTL.Caption = "Unlocking OUTLOOK"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceID = 0

currCTL.ShortcutText = ""

currCTL.Style = 0

'--- 5 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Type = 10

currCTL.ID = 30002

currCTL.Index = 5

currCTL.Caption = "&File"

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 6 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30003  
currCTL.Index = 6  
currCTL.Caption = "&Edit"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 7 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30004  
currCTL.Index = 7  
currCTL.Caption = "&View"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 8 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10
```

```
currCTL.ID = 30005  
currCTL.Index = 8  
currCTL.Caption = "&Insert"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30006  
currCTL.Index = 9  
currCTL.Caption = "F&ormat"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30007  
currCTL.Index = 10  
currCTL.Caption = "&Tools"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 11 -----  
' Set currCTL = CurrBar.Controls.Add  
' currCTL.Typeex = 10  
' currCTL.ID = 30145  
' currCTL.Index = 11  
' currCTL.Caption = "Fo&rm"  
' currCTL.DescriptionText = ""  
' currCTL.BuiltInFace = False  
' currCTL.FaceId = 0  
' currCTL.ShortcutText = ""  
' currCTL.Style = 0  
  
'--- 12 -----  
' Set currCTL = CurrBar.Controls.Add  
' currCTL.Typeex = 10  
' currCTL.ID = 30146  
' currCTL.Index = 12  
' currCTL.Caption = "&Layout"  
' currCTL.DescriptionText = ""  
' currCTL.BuiltInFace = False  
' currCTL.FaceId = 0  
' currCTL.ShortcutText = ""  
' currCTL.Style = 0  
  
'--- 13 -----  
Set currCTL = CurrBar.Controls.Add  
currCTL.Typeex = 10  
currCTL.ID = 30010  
currCTL.Index = 13  
currCTL.Caption = "Microsoft Help "  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0
```

```
currCTL.ShortcutText = ""
```

```
currCTL.Style = 0
```

```
'--- 14 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.Type = 1
```

```
currCTL.ID = 1576
```

```
currCTL.Index = 14
```

```
currCTL.Caption = "Useful Help"
```

```
currCTL.DescriptionText = ""
```

```
currCTL.BuiltInFace = False
```

```
currCTL.FaceID = 59
```

```
currCTL.ShortcutText = ""
```

```
currCTL.Style = 3
```

```
'--- 15 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.Type = 1
```

```
currCTL.ID = 1665
```

```
currCTL.Index = 15
```

```
currCTL.Caption = "Make New Item"
```

```
currCTL.DescriptionText = ""
```

```
currCTL.BuiltInFace = True
```

```
currCTL.FaceID = 1665
```

```
currCTL.ShortcutText = ""
```

```
currCTL.Style = 3
```

```
'--- 16 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.Type = 1
```

```
currCTL.ID = 1758
```

```
currCTL.Index = 16
```

```
currCTL.Caption = "New Idea"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1758  
currCTL.ShortcutText = "Ctrl+Shift+N"  
currCTL.Style = 3
```

'--- 17 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 354  
currCTL.Index = 17  
currCTL.Caption = "Deal With It Now"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = "Ctrl+R"  
currCTL.Style = 3
```

'--- 18 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1679  
currCTL.Index = 18  
currCTL.Caption = "Decide What To Do With It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 49  
currCTL.ShortcutText = "Ctrl+Shift+V"  
currCTL.Style = 3
```

'--- 19 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1
```

```
currCTL.ID = 1976
currCTL.Index = 19
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 20 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 356
currCTL.Index = 20
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```

```
'--- 21 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 478
currCTL.Index = 21
currCTL.Caption = "Ditch It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = "Ctrl+D"
currCTL.Style = 3
```

'---Bar 9 -----

Set CurrBar = ReadBars.Add

CurrBar.Namex = "Standard"

CurrBar.Visible = True

'--- 1 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Typeex = 1

currCTL.ID = 2011

currCTL.Index = 1

currCTL.Caption = "Close Item"

currCTL.DescriptionText = ""

currCTL.BuiltInFace = True

currCTL.FaceId = 2011

currCTL.ShortcutText = "Alt+F4"

currCTL.Style = 2

'--- 2 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Typeex = 1

currCTL.ID = 1975

currCTL.Index = 2

currCTL.Caption = "Save and Close "

currCTL.DescriptionText = ""

currCTL.BuiltInFace = False

currCTL.FaceId = 271

currCTL.ShortcutText = ""

currCTL.Style = 3

'--- 3 -----

Set currCTL = CurrBar.Controls.Add

currCTL.Typeex = 1

currCTL.ID = 1975

currCTL.Index = 3


```
currCTL.Caption = "Save and Close"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 271
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 4 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30005
currCTL.Index = 4
currCTL.Caption = "Get Resources"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 5 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5604
currCTL.Index = 5
currCTL.Caption = "Edit this Mail"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 31
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 6 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 109
currCTL.Index = 6
currCTL.Caption = "Print Now"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 2144
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 7 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1978
currCTL.Index = 7
currCTL.Caption = "Craft eMail"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1978
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 8 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 353
currCTL.Index = 8
currCTL.Caption = "Include Others...."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = "Ctrl+Shift+B"
currCTL.Style = 3
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 2617
currCTL.Index = 9
currCTL.Caption = "&Send"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 2617
currCTL.ShortcutText = "Ctrl+Enter"
currCTL.Style = 3
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 2004
currCTL.Index = 10
currCTL.Caption = "Cancel Delegation "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 11 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 354
currCTL.Index = 11
currCTL.Caption = "Reply"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
```

```
currCTL.FaceId = 354  
currCTL.ShortcutText = "Ctrl+R"  
currCTL.Style = 3
```

```
'--- 12 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 355  
currCTL.Index = 12  
currCTL.Caption = "Reply to A&I"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 355  
currCTL.ShortcutText = "Ctrl+Shift+R"  
currCTL.Style = 3
```

```
'--- 13 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 356  
currCTL.Index = 13  
currCTL.Caption = "Forward"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 356  
currCTL.ShortcutText = "Ctrl+F"  
currCTL.Style = 3
```

```
'--- 14 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1977  
currCTL.Index = 14
```

```
currCTL.Caption = "Recurring Task"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1977  
currCTL.ShortcutText = "Ctrl+G"  
currCTL.Style = 3
```

```
'--- 15 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 2985  
currCTL.Index = 15  
currCTL.Caption = "Mark This Task Complete"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 2985  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 16 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1760  
currCTL.Index = 16  
currCTL.Caption = "Send Task Status Update"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1760  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 17 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1  
currCTL.ID = 5433  
currCTL.Index = 17  
currCTL.Caption = "New Appointment"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 2148  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 18 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1979  
currCTL.Index = 18  
currCTL.Caption = "New Task"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceID = 1979  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 19 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 360  
currCTL.Index = 19  
currCTL.Caption = "Next Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceID = 360  
currCTL.ShortcutText = "Ctrl+>"  
currCTL.Style = 3
```

'--- 20 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 359
currCTL.Index = 20
currCTL.Caption = "Previous Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 359
currCTL.ShortcutText = "Ctrl+<"
currCTL.Style = 3
```

'--- 21 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 5571
currCTL.Index = 21
currCTL.Caption = "&Font Size"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 5571
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 22 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1977
currCTL.Index = 22
currCTL.Caption = "Recurring Event"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
```

```
currCTL.FaceId = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3
```

```
'--- 23 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1987
currCTL.Index = 23
currCTL.Caption = "Check Diary"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1987
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 24 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1086
currCTL.Index = 24
currCTL.Caption = "I&nvite Attendees..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1086
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 25 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2
currCTL.Index = 25
```



```
currCTL.Caption = "Spell Check"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 2  
currCTL.ShortcutText = "F7"  
currCTL.Style = 3
```

'--- 26 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 12  
currCTL.ID = 2611  
currCTL.Index = 26  
currCTL.Caption = "&Font Color"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 27 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 19  
currCTL.Index = 27  
currCTL.Caption = "Copy"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 19  
currCTL.ShortcutText = "Ctrl+C"  
currCTL.Style = 0
```

'--- 28 -----

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1  
currCTL.ID = 22  
currCTL.Index = 28  
currCTL.Caption = "Paste"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceID = 22  
currCTL.ShortcutText = "Ctrl+V"  
currCTL.Style = 0
```

'--- 29 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 128  
currCTL.Index = 29  
currCTL.Caption = "&Undo"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceID = 128  
currCTL.ShortcutText = "Ctrl+Z"  
currCTL.Style = 0
```

'--- 30 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 5573  
currCTL.Index = 30  
currCTL.Caption = "Forward this Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 39  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 31 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 777
currCTL.Index = 31
currCTL.Caption = "Fi&le..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 777
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 32 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1714
currCTL.Index = 32
currCTL.Caption = "&Document Map"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1714
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'---Bar 10 -----

```
Set CurrBar = ReadBars.Add
CurrBar.Namex = "Form Design"
CurrBar.Visible = False
```

'---Bar 11 -----

```
Set CurrBar = ReadBars.Add
CurrBar.Namex = "Response"
CurrBar.Visible = False
```

```
'---Bar 12 -----
Set CurrBar = ReadBars.Add
CurrBar.Namex = "Formatting"
CurrBar.Visible = False
```

```
End Sub
```

```
Public Sub SetTaskBarsInfo_old()
    Dim CurrBar As ClassCmdBar
    Dim currCTL As ClassCmdControl

    '---Bar 1 -----
    Set CurrBar = TaskBars.Add
    CurrBar.Namex = "Clipboard"
    CurrBar.Visible = False

    '---Bar 2 -----
    Set CurrBar = TaskBars.Add
    CurrBar.Namex = "Menu Bar"
    CurrBar.Visible = True

    '--- 1 -----
    Set currCTL = CurrBar.Controls.Add
    currCTL.Typeex = 10
    currCTL.ID = 30131
    currCTL.Index = 1
    currCTL.Caption = "Unlocking OUTLOOK"
    currCTL.DescriptionText = ""
    currCTL.BuiltInFace = False
    currCTL.FaceId = 0
    currCTL.ShortcutText = ""
    currCTL.Style = 0

    '--- 2 -----
    Set currCTL = CurrBar.Controls.Add
    currCTL.Typeex = 10
```

```
currCTL.ID = 30122
currCTL.Index = 2
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 3 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30130
currCTL.Index = 3
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 4 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30127
currCTL.Index = 4
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 5 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30002
currCTL.Index = 5
currCTL.Caption = "&File"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 6 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30003
currCTL.Index = 6
currCTL.Caption = "&Edit"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 7 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30004
currCTL.Index = 7
currCTL.Caption = "&View"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
```

```
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 8 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30005  
currCTL.Index = 8  
currCTL.Caption = "&Insert"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 9 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30006  
currCTL.Index = 9  
currCTL.Caption = "F&ormat"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 10 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30007  
currCTL.Index = 10  
currCTL.Caption = "&Tools"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 11 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30145  
currCTL.Index = 11  
currCTL.Caption = "Fo&rm"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 12 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30146  
currCTL.Index = 12  
currCTL.Caption = "&Layout"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 13 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10
```



```
currCTL.ID = 30010
currCTL.Index = 13
currCTL.Caption = "Microsoft Help "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 14 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1576
currCTL.Index = 14
currCTL.Caption = "Useful Help"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 59
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 15 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1665
currCTL.Index = 15
currCTL.Caption = "Make New Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1665
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 16 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1758
currCTL.Index = 16
currCTL.Caption = "New Idea"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1758
currCTL.ShortcutText = "Ctrl+Shift+N"
currCTL.Style = 3
```

'--- 17 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 354
currCTL.Index = 17
currCTL.Caption = "Deal With It Now"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2151
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3
```

'--- 18 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 1
currCTL.ID = 1679
currCTL.Index = 18
currCTL.Caption = "Decide What To Do With It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 49
```

```
currCTL.ShortcutText = "Ctrl+Shift+V"  
currCTL.Style = 3
```

```
'--- 19 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1976  
currCTL.Index = 19  
currCTL.Caption = "Delegate It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 2141  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 20 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 356  
currCTL.Index = 20  
currCTL.Caption = "Delegate It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 2141  
currCTL.ShortcutText = "Ctrl+F"  
currCTL.Style = 3
```

```
'--- 21 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 478  
currCTL.Index = 21  
currCTL.Caption = "Ditch It"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 67  
currCTL.ShortcutText = "Ctrl+D"  
currCTL.Style = 3
```

```
'---Bar 3 -----
```

```
Set CurrBar = TaskBars.Add  
CurrBar.Name = "Standard"  
CurrBar.Visible = True
```

```
'--- 1 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 1  
currCTL.ID = 2011  
currCTL.Index = 1  
currCTL.Caption = "Close Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 2011  
currCTL.ShortcutText = "Alt+F4"  
currCTL.Style = 2
```

```
'--- 2 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 1  
currCTL.ID = 1975  
currCTL.Index = 2  
currCTL.Caption = "Save and Close "  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 271  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 3 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1975
currCTL.Index = 3
currCTL.Caption = "Save and Close"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 271
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 4 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 10
currCTL.ID = 30005
currCTL.Index = 4
currCTL.Caption = "Get Resources"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 5 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 5604
currCTL.Index = 5
currCTL.Caption = "Edit this Mail"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
```

```
currCTL.FaceId = 31  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 6 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 109  
currCTL.Index = 6  
currCTL.Caption = "Print Now"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2144  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 7 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1978  
currCTL.Index = 7  
currCTL.Caption = "Craft eMail"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1978  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 8 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 353  
currCTL.Index = 8
```

```
currCTL.Caption = "Include Others...."  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = "Ctrl+Shift+B"  
currCTL.Style = 3
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 2617  
currCTL.Index = 9  
currCTL.Caption = "&Send"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 2617  
currCTL.ShortcutText = "Ctrl+Enter"  
currCTL.Style = 3
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 2004  
currCTL.Index = 10  
currCTL.Caption = "Cancel Delegation "  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 11 -----

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 354
currCTL.Index = 11
currCTL.Caption = "Reply"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 354
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3
```

'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 355
currCTL.Index = 12
currCTL.Caption = "Reply to A&I"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 355
currCTL.ShortcutText = "Ctrl+Shift+R"
currCTL.Style = 3
```

'--- 13 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 356
currCTL.Index = 13
currCTL.Caption = "Forward"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 356
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```


'--- 14 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1977
currCTL.Index = 14
currCTL.Caption = "Recurring Task"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3
```

'--- 15 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 2985
currCTL.Index = 15
currCTL.Caption = "Mark This Task Complete"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 2985
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 16 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 1760
currCTL.Index = 16
currCTL.Caption = "Send Task Status Update"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
```

```
currCTL.FaceId = 1760  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 17 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 5433  
currCTL.Index = 17  
currCTL.Caption = "New Appointment"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2148  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 18 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1979  
currCTL.Index = 18  
currCTL.Caption = "New Task"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1979  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 19 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 360  
currCTL.Index = 19
```

```
currCTL.Caption = "Next Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 360  
currCTL.ShortcutText = "Ctrl+>"  
currCTL.Style = 3
```

```
'--- 20 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 359  
currCTL.Index = 20  
currCTL.Caption = "Previous Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 359  
currCTL.ShortcutText = "Ctrl+<"  
currCTL.Style = 3
```

```
'--- 21 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 5571  
currCTL.Index = 21  
currCTL.Caption = "&Font Size"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 5571  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 22 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 1977
currCTL.Index = 22
currCTL.Caption = "Recurring Event"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3
```

'--- 23 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1987
currCTL.Index = 23
currCTL.Caption = "Check Diary"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1987
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 24 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1086
currCTL.Index = 24
currCTL.Caption = "I&nvite Attendees..."
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1086
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 25 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2
currCTL.Index = 25
currCTL.Caption = "Spell Check"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 2
currCTL.ShortcutText = "F7"
currCTL.Style = 3
```

'--- 26 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 12
currCTL.ID = 2611
currCTL.Index = 26
currCTL.Caption = "&Font Color"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 27 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 19
currCTL.Index = 27
currCTL.Caption = "Copy"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
```

```
currCTL.FaceId = 19
currCTL.ShortcutText = "Ctrl+C"
currCTL.Style = 0
```

```
'--- 28 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 22
currCTL.Index = 28
currCTL.Caption = "Paste"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 22
currCTL.ShortcutText = "Ctrl+V"
currCTL.Style = 0
```

```
'--- 29 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 128
currCTL.Index = 29
currCTL.Caption = "&Undo"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 128
currCTL.ShortcutText = "Ctrl+Z"
currCTL.Style = 0
```

```
'--- 30 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5573
currCTL.Index = 30
```

```
currCTL.Caption = "Forward this Item"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 39  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 31 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 777  
currCTL.Index = 31  
currCTL.Caption = "Fi&le..."  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 777  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 32 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1714  
currCTL.Index = 32  
currCTL.Caption = "&Document Map"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1714  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'---Bar 4 -----
```

```
Set CurrBar = TaskBars.Add
```

```
CurrBar.Namex = "Form Design"
```

```
CurrBar.Visible = False
```

```
'---Bar 5 -----
```

```
Set CurrBar = TaskBars.Add
```

```
CurrBar.Namex = "Response"
```

```
CurrBar.Visible = False
```

```
'---Bar 6 -----
```

```
Set CurrBar = TaskBars.Add
```

```
CurrBar.Namex = "Formatting"
```

```
CurrBar.Visible = False
```

```
End Sub
```

```
Public Sub SetTaskBarsInfo()
```

```
Dim CurrBar As ClassCmdBar
```

```
Dim currCTL As ClassCmdControl
```

```
'---Bar 1 -----
```

```
Set CurrBar = TaskBars.Add
```

```
CurrBar.Namex = "Clipboard"
```

```
CurrBar.Visible = False
```

```
'---Bar 2 -----
```

```
Set CurrBar = TaskBars.Add
```

```
CurrBar.Namex = "Menu Bar"
```

```
CurrBar.Visible = True
```

```
'--- 1 -----
```

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.Typeex = 10
```

```
currCTL.ID = 30131
```

```
currCTL.Index = 1
```

```
currCTL.Caption = "Unlocking OUTLOOK"
```

```
currCTL.DescriptionText = ""
```

```
currCTL.BuiltInFace = False
```

```
currCTL.FaceId = 0
```



```
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 2 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30122  
currCTL.Index = 2  
currCTL.Caption = "Unlocking OUTLOOK"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 3 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30130  
currCTL.Index = 3  
currCTL.Caption = "Unlocking OUTLOOK"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 4 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30127  
currCTL.Index = 4  
currCTL.Caption = "Unlocking OUTLOOK"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 5 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30002  
currCTL.Index = 5  
currCTL.Caption = "&File"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 6 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30003  
currCTL.Index = 6  
currCTL.Caption = "&Edit"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 7 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10
```

```
currCTL.ID = 30004
currCTL.Index = 7
currCTL.Caption = "&View"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 8 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30005
currCTL.Index = 8
currCTL.Caption = "&Insert"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 9 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30006
currCTL.Index = 9
currCTL.Caption = "F&ormat"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30007
currCTL.Index = 10
currCTL.Caption = "&Tools"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 11 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30145
currCTL.Index = 11
currCTL.Caption = "Fo&rm"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30146
currCTL.Index = 12
currCTL.Caption = "&Layout"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
```

```
' currCTL.ShortcutText = ""
' currCTL.Style = 0
```

```
'--- 13 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 10
currCTL.ID = 30010
currCTL.Index = 13
currCTL.Caption = "Microsoft Help "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 14 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1576
currCTL.Index = 14
currCTL.Caption = "Useful Help"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 59
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 15 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1665
currCTL.Index = 15
currCTL.Caption = "Make New Item"
```

```
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1665
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 16 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1758
currCTL.Index = 16
currCTL.Caption = "New Idea"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1758
currCTL.ShortcutText = "Ctrl+Shift+N"
currCTL.Style = 3
```

```
'--- 17 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 354
currCTL.Index = 17
currCTL.Caption = "Deal With It Now"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2151
currCTL.ShortcutText = "Ctrl+R"
currCTL.Style = 3
```

```
'--- 18 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
```

```
currCTL.ID = 1679
currCTL.Index = 18
currCTL.Caption = "Decide What To Do With It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 49
currCTL.ShortcutText = "Ctrl+Shift+V"
currCTL.Style = 3
```

'--- 19 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1976
currCTL.Index = 19
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 20 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 356
currCTL.Index = 20
currCTL.Caption = "Delegate It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2141
currCTL.ShortcutText = "Ctrl+F"
currCTL.Style = 3
```

'--- 21 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 478
currCTL.Index = 21
currCTL.Caption = "Ditch It"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceID = 67
currCTL.ShortcutText = "Ctrl+D"
currCTL.Style = 3
```

'--- Bar 3 -----

```
Set CurrBar = TaskBars.Add
CurrBar.NameX = "Standard"
CurrBar.Visible = True
```

'--- 1 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2011
currCTL.Index = 1
currCTL.Caption = "Close Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 2011
currCTL.ShortcutText = "Alt+F4"
currCTL.Style = 2
```

'--- 2 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1975
currCTL.Index = 2
```



```
currCTL.Caption = "Save and Close "  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 271  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 3 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 10  
currCTL.ID = 30005  
currCTL.Index = 3  
currCTL.Caption = "Get Resources"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

'--- 4 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 109  
currCTL.Index = 4  
currCTL.Caption = "Print Now"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 2144  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

'--- 5 -----

```
Set currCTL = CurrBar.Controls.Add
```

```
currCTL.TypeX = 1
currCTL.ID = 1977
currCTL.Index = 5
currCTL.Caption = "Recurring Task"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1977
currCTL.ShortcutText = "Ctrl+G"
currCTL.Style = 3
```

'--- 6 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 2985
currCTL.Index = 6
currCTL.Caption = "Mark This Task Complete"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 2985
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 7 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1760
currCTL.Index = 7
currCTL.Caption = "Send Task Status Update"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 1760
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 8 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 360
currCTL.Index = 8
currCTL.Caption = "Next Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 360
currCTL.ShortcutText = "Ctrl+>"
currCTL.Style = 3
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 359
currCTL.Index = 9
currCTL.Caption = "Previous Item"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceID = 359
currCTL.ShortcutText = "Ctrl+<"
currCTL.Style = 3
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Type = 1
currCTL.ID = 2
currCTL.Index = 10
currCTL.Caption = "Spell Check"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
```

```
currCTL.FaceId = 2  
currCTL.ShortcutText = "F7"  
currCTL.Style = 3
```

```
'--- 11 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 12  
currCTL.ID = 2611  
currCTL.Index = 11  
currCTL.Caption = "&Font Color"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 12 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 19  
currCTL.Index = 12  
currCTL.Caption = "Copy"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 19  
currCTL.ShortcutText = "Ctrl+C"  
currCTL.Style = 0
```

```
'--- 13 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 22  
currCTL.Index = 13
```

```
currCTL.Caption = "Paste"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 22  
currCTL.ShortcutText = "Ctrl+V"  
currCTL.Style = 0
```

```
'--- 14 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 128  
currCTL.Index = 14  
currCTL.Caption = "&Undo"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 128  
currCTL.ShortcutText = "Ctrl+Z"  
currCTL.Style = 0
```

```
'---Bar 4 -----
```

```
Set CurrBar = TaskBars.Add  
CurrBar.NameX = "Form Design"  
CurrBar.Visible = False
```

```
'---Bar 5 -----
```

```
Set CurrBar = TaskBars.Add  
CurrBar.NameX = "Response"  
CurrBar.Visible = False
```

```
'---Bar 6 -----
```

```
Set CurrBar = TaskBars.Add  
CurrBar.NameX = "Formatting"  
CurrBar.Visible = False
```

```
End Sub
```

```
Public Sub SetMainMenuBarInfo_old()
Dim CurrBar As ClassCmdBar
Dim currCTL As ClassCmdControl

'---Bar 1 -----
Set CurrBar = MainBars.Add
CurrBar.Namex = "Clipboard"
CurrBar.Visible = False

'---Bar 2 -----
Set CurrBar = MainBars.Add
CurrBar.Namex = "Menu Bar"
CurrBar.Visible = True

'--- 1 -----
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30141
currCTL.Index = 1
currCTL.Caption = "Unlocking OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

'--- 2 -----
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30131
currCTL.Index = 2
currCTL.Caption = "Unlocking OUTLOOK "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
```

```
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 3 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30142  
currCTL.Index = 3  
currCTL.Caption = "Unlocking OUTLOOK"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 4 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30149  
currCTL.Index = 4  
currCTL.Caption = "Unlocking OUTLOOK"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 5 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30119  
currCTL.Index = 5  
currCTL.Caption = "Unlocking OUTLOOK"
```

```
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 6 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 4
currCTL.ID = 1893
currCTL.Index = 6
currCTL.Caption = "Current &View"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

```
'--- 7 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1094
currCTL.Index = 7
currCTL.Caption = "Today"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1094
currCTL.ShortcutText = ""
currCTL.Style = 3
```

```
'--- 8 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
```



```
currCTL.ID = 1095
currCTL.Index = 8
currCTL.Caption = "This Week "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1095
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 9 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1096
currCTL.Index = 9
currCTL.Caption = "This Month "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1096
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 10 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 109
currCTL.Index = 10
currCTL.Caption = "Print Now"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 2144
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 11 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30002
currCTL.Index = 11
currCTL.Caption = "&File"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 12 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30003
currCTL.Index = 12
currCTL.Caption = "&Edit"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0
```

'--- 13 -----

```
Set currCTL = CurrBar.Controls.Add
currCTL.Typeex = 10
currCTL.ID = 30004
currCTL.Index = 13
currCTL.Caption = "&View"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
```

```
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 14 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30176  
currCTL.Index = 14  
currCTL.Caption = "Fav&orites"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 15 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30007  
currCTL.Index = 15  
currCTL.Caption = "&Tools"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 16 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 10  
currCTL.ID = 30010  
currCTL.Index = 16  
currCTL.Caption = "Microsoft Help"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 0  
currCTL.ShortcutText = ""  
currCTL.Style = 0
```

```
'--- 17 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1016  
currCTL.Index = 17  
currCTL.Caption = "Useful Help"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceId = 59  
currCTL.ShortcutText = ""  
currCTL.Style = 3
```

```
'--- 18 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 1758  
currCTL.Index = 18  
currCTL.Caption = "New Idea "  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 1758  
currCTL.ShortcutText = "Ctrl+Shift+N"  
currCTL.Style = 3
```

```
'--- 19 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1
```

```
currCTL.ID = 1758
currCTL.Index = 19
currCTL.Caption = "New Idea "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1758
currCTL.ShortcutText = "Ctrl+N"
currCTL.Style = 3
```

```
'--- 20 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 1099
currCTL.Index = 20
currCTL.Caption = "New Contact or Project"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = True
currCTL.FaceId = 1099
currCTL.ShortcutText = "Ctrl+N"
currCTL.Style = 3
```

```
'--- 21 -----
```

```
Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 5592
currCTL.Index = 21
currCTL.Caption = " Find An Entry In This Part of OUTLOOK "
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 29
currCTL.ShortcutText = ""
currCTL.Style = 3
```

'--- 22 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 1  
currCTL.ID = 354  
currCTL.Index = 22  
currCTL.Caption = "Deal With It Now"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 2151  
currCTL.ShortcutText = "Ctrl+R"  
currCTL.Style = 3
```

'--- 23 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 1  
currCTL.ID = 1679  
currCTL.Index = 23  
currCTL.Caption = "Decide What To Do With It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 49  
currCTL.ShortcutText = "Ctrl+Shift+V"  
currCTL.Style = 3
```

'--- 24 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.Type = 1  
currCTL.ID = 356  
currCTL.Index = 24  
currCTL.Caption = "Delegate It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 2141
```

```
currCTL.ShortcutText = "Ctrl+F"  
currCTL.Style = 3
```

```
'--- 25 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 478  
currCTL.Index = 25  
currCTL.Caption = "Ditch It"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = False  
currCTL.FaceID = 67  
currCTL.ShortcutText = "Ctrl+D"  
currCTL.Style = 3
```

```
'--- 26 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 21  
currCTL.Index = 26  
currCTL.Caption = "Cu&t"  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceID = 21  
currCTL.ShortcutText = "Ctrl+X"  
currCTL.Style = 0
```

```
'--- 27 -----
```

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 19  
currCTL.Index = 27  
currCTL.Caption = "&Copy"
```

```
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 19  
currCTL.ShortcutText = "Ctrl+C"  
currCTL.Style = 0
```

'--- 28 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 22  
currCTL.Index = 28  
currCTL.Caption = "&Paste" "  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 22  
currCTL.ShortcutText = "Ctrl+V"  
currCTL.Style = 0
```

'--- 29 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 1  
currCTL.ID = 128  
currCTL.Index = 29  
currCTL.Caption = " "  
currCTL.DescriptionText = ""  
currCTL.BuiltInFace = True  
currCTL.FaceId = 128  
currCTL.ShortcutText = "Ctrl+Z"  
currCTL.Style = 0
```

'--- 30 -----

```
Set currCTL = CurrBar.Controls.Add  
currCTL.TypeX = 4
```



```

currCTL.ID = 5454
currCTL.Index = 30
currCTL.Caption = "&Find a Contact"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 0
currCTL.ShortcutText = ""
currCTL.Style = 0

```

```

'--- 31 -----

```

```

Set currCTL = CurrBar.Controls.Add
currCTL.TypeX = 1
currCTL.ID = 522
currCTL.Index = 31
currCTL.Caption = "Personalise OUTLOOK"
currCTL.DescriptionText = ""
currCTL.BuiltInFace = False
currCTL.FaceId = 480
currCTL.ShortcutText = ""
currCTL.Style = 3

```

```

'---Bar 3 -----

```

```

Set CurrBar = MainBars.Add
CurrBar.NameX = "Standard"
CurrBar.Visible = False

```

```

'---Bar 4 -----

```

```

Set CurrBar = MainBars.Add
CurrBar.NameX = "Web"
CurrBar.Visible = False

```

```

'---Bar 5 -----

```

```

Set CurrBar = MainBars.Add
CurrBar.NameX = "Advanced"
CurrBar.Visible = False

```

'---Bar 6 -----


Set CurrBar = MainBars.Add

CurrBar.Namex = "Remote"

CurrBar.Visible = False

End Sub

INBOX ITEMS – FOUR 'D' IT






Figure 2




Figure 3




Figure 4




Figure 5